

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

Datasheet

CD8B1 polyclonal antibody (A01)

Catalog Number: H00000926-A01

Regulation Status: For research use only (RUO)

Product Description: Mouse polyclonal antibody raised

against a partial recombinant CD8B1.

Immunogen: CD8B1 (NP 004922, 23 a.a. ~ 131 a.a)

partial recombinant protein with GST tag.

Sequence:

QQTPAYIKVQTNKMVMLSCEAKISLSNMRIYWLRQRQ APSSDSHHEFLALWDSAKGTIHGEEVEQEKIAVFRDAS RFILNLTSVKPEDSGIYFCMIVGSPELTFGKGTQ

Host: Mouse

Reactivity: Human

Applications: ELISA, WB-Re

(See our web site product page for detailed applications

information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product

page for detailed protocols

Storage Buffer: 50 % glycerol

Storage Instruction: Store at -20°C or lower. Aliquot to

avoid repeated freezing and thawing.

Entrez GenelD: 926

Gene Symbol: CD8B

Gene Alias: CD8B1, LYT3, Leu2, Ly3, MGC119115

Gene Summary: The CD8 antigen is a cell surface glycoprotein found on most cytotoxic T lymphocytes that mediates efficient cell-cell interactions within the immune system. The CD8 antigen, acting as a coreceptor, and the T-cell receptor on the T lymphocyte recognize antigen displayed by an antigen presenting cell (APC) in the context of class I MHC molecules. The functional coreceptor is either a homodimer composed of two alpha chains, or a heterodimer composed of one alpha and one beta chain. Both alpha and beta chains share

significant homology to immunoglobulin variable light chains. This gene encodes the CD8 beta chain isoforms. Multiple alternatively spliced transcript variants encoding distinct membrane associated or secreted isoforms have been described. A pseudogene, also located on chromosome 2, has been identified. [provided by RefSeq]