



# MATERIAL SAFETY DATA SHEET

according to the Hazard Communication Standard (29 CFR 1910.1200)

Date of issue: 09/17/2012

Version 1.0

## SECTION 1. Identification

### Product identifier

Product number	814894
Product name	Polyvinyl alcohol, fully hydrolyzed (Mw approx. 145000) for synthesis

### Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Chemical for synthesis
-----------------	------------------------

### Details of the supplier of the safety data sheet

Company	EMD Millipore Corporation   290 Concord Road, Billerica, MA 01821, United States of America   SDS Phone Support: +1-978-715-1335   General Inquiries: +1-978-715-4321   Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)  e-mail: mm_sds@merckgroup.com
---------	--

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week
---------------------	--

## SECTION 2. Hazards identification

### GHS-Labeling

#### *Hazard Statements*

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

### OSHA Hazards

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Other hazards

None known.

## SECTION 3. Composition/information on ingredients

Chemical nature	Methanol (as impurity) Volatile.
Formula	(C <sub>2</sub> H <sub>4</sub> O) <sub>n</sub> (Hill)
CAS-No.	9002-89-5

# MATERIAL SAFETY DATA SHEET

according to the Hazard Communication Standard (29 CFR 1910.1200)

Product number

814894

Version 1.0

Product name

Polyvinyl alcohol, fully hydolyzed (Mw approx. 145000) for synthesis

---

## Hazardous ingredients

*Chemical Name ( Concentration)*

CAS-No.

*methanol ( >= 1 % - < 5 % )*

67-56-1

---

## SECTION 4. First aid measures

### Description of first-aid measures

*Inhalation*

After inhalation: fresh air.

*Skin contact*

After skin contact: wash off with plenty of water. Remove contaminated clothing.

*Eye contact*

After eye contact: rinse out with plenty of water.

*Ingestion*

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

### Indication of any immediate medical attention and special treatment needed

No information available.

---

## SECTION 5. Fire-fighting measures

### Extinguishing media

*Suitable extinguishing media*

Water, Carbon dioxide (CO<sub>2</sub>), Foam, Dry powder

*Unsuitable extinguishing media*

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Combustible.

Development of hazardous combustion gases or vapors possible in the event of fire.

Risk of dust explosion.

### Advice for firefighters

*Special protective equipment for fire-fighters*

In the event of fire, wear self-contained breathing apparatus.

*Further information*

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

---

## MATERIAL SAFETY DATA SHEET

according to the Hazard Communication Standard (29 CFR 1910.1200)

Product number	814894	Version 1.0
Product name	Polyvinyl alcohol, fully hydolyzed (Mw approx. 145000) for synthesis	

---

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact.  
Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

### **Environmental precautions**

Do not empty into drains.

### **Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

---

## **SECTION 7. Handling and storage**

### **Precautions for safe handling**

Observe label precautions.

### **Conditions for safe storage, including any incompatibilities**

Tightly closed. Dry.

Store at +15°C to +25°C (+59°F to +77°F).

# MATERIAL SAFETY DATA SHEET

according to the Hazard Communication Standard (29 CFR 1910.1200)

Product number

814894

Version 1.0

Product name

Polyvinyl alcohol, fully hydolyzed (Mw approx. 145000) for synthesis

## SECTION 8. Exposure controls/personal protection

### Exposure limit(s)

#### *Ingredients*

Basis	Value	Threshold limits	Remarks
<i>methanol 67-56-1</i>			
ACGIH	Time Weighted Average (TWA):	200 ppm	Can be absorbed through the skin.
	Short Term Exposure Limit (STEL):	250 ppm	
	Skin designation:		
NIOSH/GUIDE	Recommended exposure limit (REL):	200 ppm 260 mg/m <sup>3</sup>	Can be absorbed through the skin.
	Skin designation:		
	Short Term Exposure Limit (STEL):	250 ppm 325 mg/m <sup>3</sup>	
OSHA_TRANS	PEL:	200 ppm 260 mg/m <sup>3</sup>	
Z1A	Time Weighted Average (TWA):	200 ppm 260 mg/m <sup>3</sup>	Can be absorbed through the skin.
	Skin designation (Final Rule Limit applies):		
	Short Term Exposure Limit (STEL):	250 ppm 325 mg/m <sup>3</sup>	

### Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

### *Hygiene measures*

Change contaminated clothing. Application of skin- protective barrier cream recommended.  
Wash hands after working with substance.

### *Eye/face protection*

Safety glasses

### *Hand protection*

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Recommended:

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0.11 mm
Break through time:	> 480 min

# MATERIAL SAFETY DATA SHEET

according to the Hazard Communication Standard (29 CFR 1910.1200)

Product number	814894	Version 1.0
Product name	Polyvinyl alcohol, fully hydrolyzed (Mw approx. 145000) for synthesis	

---

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0.11 mm
Break through time:	> 480 min

## *Respiratory protection*

required when dusts are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

---

## SECTION 9. Physical and chemical properties

Physical state	solid
Color	white
Odor	odorless
Odor Threshold	not applicable
pH	No information available.
Melting point	320 - 464 °F ( 160 - 240 °C)
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapor pressure	No information available.
Relative vapor density	No information available.
Relative density	0.4 - 0.6 g/cm <sup>3</sup> at 68 °F ( 20 °C)
Water solubility	soluble
Partition coefficient: n-octanol/water	No information available.
Autoignition temperature	No information available.

## MATERIAL SAFETY DATA SHEET

according to the Hazard Communication Standard (29 CFR 1910.1200)

Product number	814894	Version 1.0
Product name	Polyvinyl alcohol, fully hydrolyzed (Mw approx. 145000) for synthesis	

---

Decomposition temperature > 392 °F ( > 200 °C)

Viscosity, dynamic No information available.

---

### SECTION 10. Stability and reactivity

#### Reactivity

Risk of dust explosion.

#### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

#### Conditions to avoid

Strong heating (decomposition).

#### Incompatible materials

no information available

#### Hazardous decomposition products

no information available

---

### SECTION 11. Toxicological information

#### Information on toxicological effects

##### *Likely route of exposure*

Eye contact, Skin contact, Ingestion

##### *Target Organs*

Eyes

Skin

Respiratory system

Central nervous system

gastrointestinal tract

##### *Acute oral toxicity*

LD50 rat: > 2,000 mg/kg

OECD Test Guideline 401

##### *Acute inhalation toxicity*

Acute toxicity estimate: > 5 mg/l

Calculation method

##### *Acute dermal toxicity*

Acute toxicity estimate : > 2,000 mg/kg

Calculation method

---

## MATERIAL SAFETY DATA SHEET

according to the Hazard Communication Standard (29 CFR 1910.1200)

Product number

814894

Version 1.0

Product name

Polyvinyl alcohol, fully hydolyzed (Mw approx. 145000) for synthesis

---

### *Skin irritation*

rabbit

Result: No irritation

(External MSDS)

### *Eye irritation*

rabbit

Result: No eye irritation

(External MSDS)

### *Genotoxicity in vitro*

Ames test

Result: negative

(Lit.)

### *Specific target organ systemic toxicity - single exposure*

The substance or mixture is not classified as specific target organ toxicant, single exposure.

### *Specific target organ systemic toxicity - repeated exposure*

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### *Aspiration hazard*

Regarding the available data the classification criteria are not fulfilled.

## **Carcinogenicity**

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

## **Further information**

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Further data:

Handle in accordance with good industrial hygiene and safety practice.

---

## **SECTION 12. Ecological information**

### **Ecotoxicity**

#### *Toxicity to fish*

LC50 Danio rerio (zebra fish): > 5,000 mg/l; 96 h

OECD Test Guideline 203 (External MSDS)

## MATERIAL SAFETY DATA SHEET

according to the Hazard Communication Standard (29 CFR 1910.1200)

Product number

814894

Version 1.0

Product name

Polyvinyl alcohol, fully hydrolyzed (Mw approx. 145000) for synthesis

---

### *Toxicity to bacteria*

EC0 Bacteria: > 8,000 mg/l; 10 d (Lit.)

### **Persistence and degradability**

#### *Biodegradability*

> 90 %

OECD Test Guideline 302B

Readily eliminated from water

Not readily biodegradable.

### **Bioaccumulative potential**

No information available.

### **Mobility in soil**

No information available.

### **Other adverse effects**

---

## **SECTION 13. Disposal considerations**

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

---

## **SECTION 14. Transport information**

### **Land transport (DOT)**

Not classified as dangerous in the meaning of transport regulations.

### **Air transport (IATA)**

Not classified as dangerous in the meaning of transport regulations.

### **Sea transport (IMDG)**

Not classified as dangerous in the meaning of transport regulations.

---

## **SECTION 15. Regulatory information**

### **United States of America**

#### **OSHA Hazards**

Target organ effects

Toxic by inhalation.

Toxic by skin absorption

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

#### **SARA 311/312 Hazards**

Acute Health Hazard

Chronic Health Hazard

#### **Clean Water Act**



## MATERIAL SAFETY DATA SHEET

according to the Hazard Communication Standard (29 CFR 1910.1200)

Product number

814894

Version 1.0

Product name

Polyvinyl alcohol, fully hydrolyzed (Mw approx. 145000) for synthesis

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

### Massachusetts Right To Know

#### *Ingredients*

methanol

### Pennsylvania Right To Know

#### *Ingredients*

polyvinylalcohol

methanol

### New Jersey Right To Know

#### *Ingredients*

polyvinylalcohol

methanol

### California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### Notification status

TSCA:


On TSCA Inventory

DSL:

All components of this product are on the Canadian DSL.

## SECTION 16. Other information

### National Fire Protection Association (U.S.A)



### Training advice

Provide adequate information, instruction and training for operators.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

# MATERIAL SAFETY DATA SHEET

according to the Hazard Communication Standard (29 CFR 1910.1200)

Product number	814894	Version 1.0
Product name	Polyvinyl alcohol, fully hydolyzed (Mw approx. 145000) for synthesis	

---

---

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

*All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.*