

Equivalent Performance, Exceptional Value

TECHNICAL DATA SHEET

Ghost Dye™ Violet 510

Catalog Number: 13-0870

PRODUCT INFORMATION

Contents: Ghost Dye™ Violet 510


Excitation Laser Violet (405 nm)

Emission (nm): 510

Formulation: 1 uL/test in DMSO

Storage Conditions: -20°C protected from light and moisture

Use by: 6 months from date of receipt



LEFT: Mouse thymocytes were incubated overnight at 4°C (dashed) or 37°C (solid) and stained with Ghost Dye Violet 510. RIGHT: Mouse splenocytes were stimulated overnight with PMA and stained with Ghost Dye Violet 510. Viable gate is indicated.

DESCRIPTION

Ghost Dye Violet 510 is an amine reactive viability dye that can be used to discriminate viable from non-viable mammalian cells in flow cytometry applications. This dye irreversibly binds free amines available on the cell surface as well as intracellular free amines exposed in cells with compromised cell membranes. Necrotic cells with compromised membranes will react with significantly more Ghost Dye Violet 510 dye than viable cells in the same sample and therefore will exhibit much greater fluorescence intensity allowing exclusion of these cells from analysis.

PREPARATION & STORAGE

Ghost Dye Violet 510 is provided in solution prepared in anhydrous DMSO and should be protected from light and moisture. Store vial at -20°C. Prior to use, allow vial to equilibrate to room temperature before opening. Ghost Dye Violet 510 dye is stable through 20 freeze/thaw cycles, if needed, aliquot smaller volumes and store at -20°C. Cells labeled with Ghost Dyes can be cryopreserved for later use or used in intracellular staining protocols without any loss of fluorescence intensity.

APPLICATION NOTES

Ghost Dye Violet 510 has been quality-tested for flow cytometry using mouse thymocytes and can be used at 1 uL/mL of cell suspension. The concentration required for optimal performance should be determined empirically by investigator. Ghost Dye Violet 510 is excited by the violet (405 nm) laser line and has a peak emission of 510 nm that can be detected using a 525/50 band pass filter commonly used for detection of AmCyan.

NOTE: Please choose the appropriate format for each application. Citations are provided as a convenience to you; please consult Materials and Methods sections for additional details about the use of any product in these publications.

For Research Use Only.

Not for use in diagnostic or therapeutic procedures. Not for resale. Not for distribution without written consent. Tonbo Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Tonbo Biosciences, Tonbo Biosciences Logo and all other trademarks are the property of Tonbo Biotechnologies Corporation. © 2013 Tonbo Biosciences.