## Honeywell

sion 1.4		Revision Date 04/08/2014	Print Date 03/08/2
TION 1. PRODUCT AND CO	ОМР	ANY IDENTIFICATION	
Product name	:	0.035% - 0.1% Trifluoroacetic Acid in (407/423/493/573/575)	Acetonitrile
MSDS Number	:	00000011215	
Product Use Description	:	Solvent	
Manufacturer or supplier's details	:	Honeywell International Inc. 115 Tabor Road Morris Plains, NJ 07950-2546	
For more information call	:	1-800-368-0050 (Monday-Friday, 9:00am-5:00pm)	
In case of emergency call	:	Medical: 1-800-498-5701 or +1-303- Transportation (CHEMTREC): 1-800 +1-703-527-3887	
	:	(24 hours/day, 7 days/week)	
TION 2. HAZARDS IDENTIF		TION	
TION 2. HAZARDS IDENTIF Emergency Overview	ICA	TION	
		<b></b>	
Emergency Overview			
Emergency Overview Form		: liquid	
Emergency Overview Form Color		: liquid : colourless : sweet ether-like	
Emergency Overview Form Color Odor	ance	: liquid : colourless : sweet ether-like	y system

## Honeywell

entral nervous system, Respiratory system, Kidney, Blood, er cautionary statements
cautionary statements
$\checkmark$ $\checkmark$ $\checkmark$
inger
ghly flammable liquid and vapour. nuses serious eye irritation. nuses damage to organs. ay cause damage to organs through prolonged or repeated posure.
evention: eep away from heat/sparks/open flames/hot surfaces No hoking. eep container tightly closed. ound/bond container and receiving equipment. e explosion-proof electrical/ventilating/ lighting/ equipment. e only non-sparking tools. ke precautionary measures against static discharge. o not breathe dust/ fume/ gas/ mist/vapours/ spray. ash skin thoroughly after handling. o not eat, drink or smoke when using this product. ear protective gloves/ eye protection/ face protection.
esponse: ON SKIN (or hair): Remove/ Take off immediately all ntaminated clothing. Rinse skin with water/ shower. IN EYES: Rinse cautiously with water for several minutes. emove contact lenses, if present and easy to do. Continue sing. exposed: Call a POISON CENTER or doctor/ physician. eye irritation persists: Get medical advice/ attention. case of fire: Use dry sand, dry chemical or alcohol-resistant am for extinction.
orage: ore in a well-ventilated place. Keep cool.

## Honeywell

rsion 1.4	Revision Date	04/08/2014	Print Date 03/08/2
	Store locked up	).	
	<b>Disposal:</b> Dispose of cont plant.	ents/ container to an a	approved waste disposal
Carcinogenicity			
No component of this pro anticipated carcinogen by	duct present at levels grea y NTP, IARC, or OSHA.	ter than or equal to 0.	1% is identified as a know
CTION 3. COMPOSITION	/INFORMATION ON INGR	REDIENTS	
Chemical nature	: Mixture		
Chem	ical Name	CAS-No.	Concentration
Acetonitrile		75-05-8	>99.00 %
Trifluoroacetic acid		76-05-1	0.035 - 0.10 %
CTION 4. FIRST AID ME/	ASURES		
Inhalation	breathing is difficu	air. If not breathing, gi ult, give oxygen. Use ed operator is present	
Skin contact	minutes. Take off	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediatel Wash contaminated clothing before re-use. Call a physician.	
Eye contact		y with plenty of water, nutes. Call a physiciar	also under the eyelids,
Ingestion		al attention is required	g without medical advice. I. Never give anything by
	Page 3 /	14	

# Honeywell

Version 1.4	Revision Date 04/08/2014	Print Date 03/08/2016
Notes to physician		
Treatment	: Treat as cyanide poisoning. Symptoms appear for several hours. Keep under n least 48 hours.	
SECTION 5. FIREFIGHTING MEA	SURES	
Suitable extinguishing media	: Carbon dioxide (CO2) Dry chemical Alcohol-resistant foam Cool closed containers exposed to fire	e with water spray.
Unsuitable extinguishing media	: Do not use a solid water stream as it r fire.	may scatter and spread
Specific hazards during firefighting	<ul> <li>Flammable.</li> <li>Vapours may form explosive mixtures Vapours are heavier than air and may Vapors may travel to areas away from igniting/flashing back to vapor source. In case of fire hazardous decomposition produced such as: Hydrogen cyanide (hydrocyanic acid) Carbon dioxide (CO2), carbon monox nitrogen (NOx), dense black smoke.</li> </ul>	r spread along floors. work site before on products may be
Special protective equipment for firefighters	: Wear self-contained breathing appara	tus and protective suit.
SECTION 6. ACCIDENTAL RELEA	SE MEASURES	
Personal precautions	<ul> <li>Wear personal protective equipment. Immediately evacuate personnel to saf Keep people away from and upwind of Ensure adequate ventilation. Remove all sources of ignition. Do not swallow. Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and cloth</li> </ul>	spill/leak.
	Page 4 / 14	

# Honeywell

sion 1.4		Revision Date 04/08/2014	Print Date 03/08/2
Environmental precautions	:	Prevent further leakage or spillage if s Prevent product from entering drains. Discharge into the environment must l Do not flush into surface water or sani Do not allow run-off from fire fighting t courses.	be avoided. tary sewer system.
Methods for cleaning up	:	Ventilate the area. No sparking tools should be used. Use explosion-proof equipment. Contain spillage, soak up with non-cor material, (e.g. sand, earth, diatomaced transfer to a container for disposal acc regulations (see section 13).	ous earth, vermiculite) and
TION 7. HANDLING AND ST Handling	OR	AGE	
-			
Handling	:	Wear personal protective equipment. Use only in well-ventilated areas. Keep container tightly closed. Do not smoke. Do not swallow. Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clott	hing.
Advice on protection against fire and explosion	:	Keep away from fire, sparks and heater Take precautionary measures against Ensure all equipment is electrically gro transfer operations. Use explosion-proof equipment. Keep product and empty container aw of ignition. No sparking tools should be used. No smoking.	static discharges. bunded before beginning
Storage			
	:	Store in area designed for storage of fl from physical damage.	
Requirements for storage areas and containers		Keep containers tightly closed in a dry place.	, cool and well-ventilated

# Honeywell

rsion 1.4		Revision Date 04/08/2014	Print Date 03/08/20
		Containers which are opened must be kept upright to prevent leakage.	
		Keep away from heat and sources of it Keep away from direct sunlight. Store away from incompatible substan	-
		Container hazardous when empty. Do not pressurize, cut, weld, braze, so	lder, drill, grind or expose
		containers to heat or sources of ignitio	n.
CTION 8. EXPOSURE CONT	ROL	S/PERSONAL PROTECTION	
Protective measures	:	Ensure that eyewash stations and safe the workstation location.	ety showers are close to
Engineering measures	:	Use with local exhaust ventilation. Prevent vapour buildup by providing ac and after use.	dequate ventilation during
Eye protection	:	Do not wear contact lenses. Wear as appropriate: Safety glasses with side-shields If splashes are likely to occur, wear: Goggles or face shield, giving complet	e protection to eves
Hand protection	:	Solvent-resistant gloves Gloves must be inspected prior to use. Replace when worn.	
Skin and body protection	:	Wear as appropriate: Solvent-resistant apron Flame retardant antistatic protective cl	lothing
		If splashes are likely to occur, wear: Protective suit	loting
Respiratory protection	:	In case of insufficient ventilation, wear equipment.	
		For rescue and maintenance work in s self-contained breathing apparatus. Use NIOSH approved respiratory prote	-
Hygiene measures	:	When using do not eat, drink or smoke Wash hands before breaks and immed product.	
		Page 6 / 14	

# Honeywell

Exposure Guide	Re Do Av Av	emove and wa o not swallow. oid breathing	othes separately sh contaminated vapours, mist o ith skin, eyes an	d clothing r gas.	
Components	CAS-No.	Value	Control parameters	Upda te	Basis
Acetonitrile	75-05-8	TWA : time weighted average	(20 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values
Acetonitrile	75-05-8	SKIN_DE S : Skin designati on:	Can be absorbed through the skin.	2008	ACGIH:US. ACGIH Threshold Limit Values
Acetonitrile	75-05-8	REL : Recomm ended exposure limit (REL):	34 mg/m3 (20 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
Acetonitrile	75-05-8	PEL : Permissi ble exposure limit	70 mg/m3 (40 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Acetonitrile	75-05-8	TWA : time weighted average	70 mg/m3 (40 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
Acetonitrile	75-05-8	STEL : Short term exposure limit	105 mg/m3 (60 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)

## Honeywell

## 0.035% - 0.1% Trifluoroacetic Acid in Acetonitrile (407/423/493/573/575) 000000011215

Version 1.4

Revision Date 04/08/2014

Print Date 03/08/2016

TION 9. PHYSICAL AND CH Physical state	: liquid
Color	: colourless
Odor	: sweet ether-like
рН	: Note: not applicable
Melting point/freezing point	
Boiling point/boiling range	
Flash point	<ul> <li>: 43 °F (6 °C)</li> <li>Method: closed cup</li> <li>Note: The physical data is that of the main component.</li> </ul>
Evaporation rate	: 5 Method: Compared to Butyl acetate.
Lower explosion limit	: 3 %(V) Note: The physical data is that of the main component.
Upper explosion limit	: 16 %(V) Note: The physical data is that of the main component.
Vapor pressure	: 97 hPa at 20 °C(68 °F)
Vapor density	: 1.42 Note: (Air = 1.0)
Density	: 0.782 g/cm3 at 20 °C
	0.777 g/cm3 at 25 °C

# Honeywell

00000011215		
ersion 1.4	Revision Date 04/08/2014	Print Date 03/08/2010
Water solubility	: Note: completely soluble	
Ignition temperature	: 524 °C Note: The physical data is that of the	main component
		main component.
ECTION 10. STABILITY AND RI		
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous	: Hazardous polymerisation does not or	ccur.
reactions Conditions to avoid	: Heat, flames and sparks.	
	Keep away from direct sunlight.	
Incompatible materials to	: Acids	
avoid	Bases Oxidizing agents	
	Reducing agents	
	Sulfites Perchlorates	
	May attack many plastics, rubbers and	d coatings.
Hazardous decomposition	: In case of fire hazardous decomposition	on products may be
products	produced such as:	
	Hydrogen cyanide (hydrocyanic acid) Carbon dioxide (CO2), carbon monox	ide (CO), oxides of
	nitrogen (NOx), dense black smoke.	
ECTION 11. TOXICOLOGICAL	NFORMATION	
Acute oral toxicity		
Acetonitrile	: LD50: 2,460 mg/kg Species: rat	
	Page 9 / 14	

## Honeywell

sion 1.4	Revision Date 04/08/2014	Print Date 03/08/2
Trifluoroacetic acid	: LDLo: 500 mg/kg Species: rat	
Acute inhalation toxicity Acetonitrile	: LC50: 16000 ppm	
	Exposure time: 4 h	
	Species: rat	
Trifluoroacetic acid	: LC50: 10 mg/l Species: rat	
Acute dermal toxicity Acetonitrile	: LD50: > 2,000 mg/kg	
	Species: rabbit	
Eye irritation		
Acetonitrile	: Species: rabbit	
Acetonitrile	: Species: rabbit Result: Irritating to eyes.	
Acetonitrile		
	Result: Irritating to eyes.	
	Result: Irritating to eyes.	
TION 12. ECOLOGICAL I	Result: Irritating to eyes.	
	Result: Irritating to eyes.	
TION 12. ECOLOGICAL I	Result: Irritating to eyes. NFORMATION  : flow-through test LC50: 1,640 mg/l	
TION 12. ECOLOGICAL I	Result: Irritating to eyes.	ad minnow)
TION 12. ECOLOGICAL I Toxicity to fish Acetonitrile	Result: Irritating to eyes. NFORMATION  : flow-through test LC50: 1,640 mg/l Exposure time: 96 h Species: Pimephales promelas (fathea	nd minnow)
TION 12. ECOLOGICAL I	Result: Irritating to eyes. NFORMATION  : flow-through test LC50: 1,640 mg/l Exposure time: 96 h Species: Pimephales promelas (fathea	ad minnow)
TION 12. ECOLOGICAL I Toxicity to fish Acetonitrile	Result: Irritating to eyes. NFORMATION  : flow-through test LC50: 1,640 mg/l Exposure time: 96 h Species: Pimephales promelas (fathea	ad minnow)
TION 12. ECOLOGICAL I Toxicity to fish Acetonitrile	Result: Irritating to eyes.  NFORMATION  : flow-through test LC50: 1,640 mg/l Exposure time: 96 h Species: Pimephales promelas (fathea	
TION 12. ECOLOGICAL I Toxicity to fish Acetonitrile Further information on e	Result: Irritating to eyes.  NFORMATION  : flow-through test LC50: 1,640 mg/l Exposure time: 96 h Species: Pimephales promelas (fathea	

## Honeywell

ersion 1.4	F	Revision Date 04/08/2014	Print Date 03/08/20
ECTION 14.	TRANSPORT INFORMATI	ON	
DOT	UN/ID No. Proper shipping name Class Packing group Hazard Labels	: UN 1648 : ACETONITRILE SOLUTION 3 II 3	
ΙΑΤΑ	UN/ID No. Description of the goods Class Packaging group Hazard Labels Packing instruction (carg aircraft) Packing instruction (passenger aircraft) Packing instruction (passenger aircraft)	: 3 : II : 3	
IMDG	UN/ID No. Description of the goods Class Packaging group Hazard Labels EmS Number Marine pollutant	: UN 1648 : ACETONITRILE SOLUTION : 3 : II : 3 : F-E, S-D : no	
ECTION 15.	REGULATORY INFORMAT	ΓΙΟΝ	
Inventori	es		
US. Toxic Control A		TSCA Inventory	
	(Notification and	the inventory, or in compliance with th	ne inventory
	Canadian : All c ental Protection	components of this product are on the	Canadian DSL.
		Page 11 / 14	

## Honeywell

		Revision Date 04/08/2014	Print Date 03/08/2		
Act (CEPA). Domestic Substances List (DSL)					
Japan. Kashin-Hou Law List	:	On the inventory, or in compliance	e with the inventory		
Korea. Toxic Chemical Control Law (TCCL) List	:	On the inventory, or in compliance with the inventory			
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	:	On the inventory, or in compliance	On the inventory, or in compliance with the inventory		
China. Inventory of Existing Chemical Substances	:	On the inventory, or in compliance	e with the inventory		
New Zealand. Inventory of Chemicals (NZloC), as published by ERMA New Zealand	:	On the inventory, or in compliance	e with the inventory		
National regulatory inform	atio	on			
US. EPA CERCLA Hazardous Substances (40 CFR 302)	:	The following component(s) of this release reporting under 40 CFR 3 Reportable Quantity (RQ):			
	:	Reportable quantity: 5000 lbs Acetonitrile	75-05-8		
SARA 302 Components	:				
SARA 313 Components	:	Acetonitrile	75-05-8		
SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard Chronic Health Hazard			
CERCLA Reportable Quantity	:	5005 lbs			
		D 40/44			
		Page 12 / 14			

# Honeywell

rsion 1.4	Revision	Date 04/08/2014	Print Date 03/08/201
California Prop. 65		to cause cancer.	hemical known to the State
Massachusetts RTK New Jersey RTK	: Acetonitrile : Acetonitrile		75-05-8 75-05-8
Pennsylvania RTK	: Acetonitrile		75-05-8
WHMIS Classification	: B2: Flamma		75-05-8
		Material Causing Other To	
		and the MSDS contains al	I of the information required
CTION 16. OTHER INFORM	of the CPR by the CPR	and the MSDS contains al	
CTION 16. OTHER INFORM	of the CPR by the CPR	and the MSDS contains al	
Health hazard	of the CPR by the CPR ATION HMIS III : 2*	and the MSDS contains al  <b>NFPA</b> 2	
Health hazard Flammability Physical Hazard	of the CPR by the CPR	and the MSDS contains al NFPA 2 3	
Health hazard Flammability	of the CPR by the CPR IATION HMIS III : 2* : 3	and the MSDS contains al  <b>NFPA</b> 2	
Health hazard Flammability Physical Hazard	of the CPR by the CPR IATION HMIS III : 2* : 3	and the MSDS contains al  <b>NFPA</b> 2 3	
Health hazard Flammability Physical Hazard Instability * - Chronic health hazard	of the CPR by the CPR IATION HMIS III : 2* : 3 : 0 : : ystems (e.g. HMIS	NFPA 2 3 0 S® III, NFPA): This informa	l of the information required
Health hazard Flammability Physical Hazard Instability * - Chronic health hazard Hazard rating and rating sy use of individuals trained in Further information	of the CPR by the CPR IATION HMIS III : 2* : 3 : 0 : ystems (e.g. HMIS n the particular sy	and the MSDS contains al NFPA 2 3 0 S® III, NFPA): This informa stem.	l of the information required
Health hazard Flammability Physical Hazard Instability * - Chronic health hazard Hazard rating and rating sy use of individuals trained in <b>Further information</b> The information provided in	of the CPR by the CPR <b>HMIS III</b> : 2* : 3 : 0 : ystems (e.g. HMIS n the particular sy	and the MSDS contains al NFPA 2 3 0 S® III, NFPA): This information stem. Sheet is correct to the best	

#### Honeywell

#### 0.035% - 0.1% Trifluoroacetic Acid in Acetonitrile (407/423/493/573/575) 000000011215

Version 1.4

Revision Date 04/08/2014

Print Date 03/08/2016

handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 07/01/2011

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group