

6003 Chapel Hill Road \cdot Suite # 153 \cdot Raleigh, NC 27607

Product Specifications

| | VWR Part Number: ImmunoReagents, Inc. Part Number: | IR2182 GtxRb-003-D550NHSX |
|---|--|--|
| Product: | GOAT X RABBIT IGG DYLGT 550 1VL | |
| Concentration: | 1.0 mg/ml (E 1% at 280 nm = 13.0) | |
| Amount: | 1.0 mg | |
| Conjugate: | DyLight® 550 (Ex = 562 nm; Em = 576 nm) | |
| Form: | Lyophilized | |
| Purification: | Affinity purified using solid phase Rabbit IgG | |
| Purity: | Affinity purified antibody is > 95% based on SDS-PAGE | |
| Host: | Goat | |
| Immunogen: | Purified Rabbit IgG, whole molecule | |
| Buffer: Protease/IgG free | 10 mM Sodium Phosphate, 0.15 M So | dium Chloride, pH 7.2, 1 % (w/v) BSA, |
| Storage: | Store freeze-dried powder at 2-8 °C. | |
| Shelf Life: after rehydration, add an | Product is stable for up to 4 weeks at 2-8°C after rehydration. For extended storage an equal volume of glycerol and store at -20°C. | |
| Specificity: all rabbit immunoglobuli | Based on IEP, this antibody reacts with: \cdot heavy (?) chains on rabbit IgG \cdot light chains on lins | |
| Cross Reactivity: | Based on IEP, no reactivity is observed | to: · non-immunoglobulin rabbit serum proteins |
| Country of Origin: registered veterinarian. | Goat serum was obtained from health | y animals of US origin and under the care of a |
| Applications:This conjugate is suitable for immunomicroscopy and flow cytometry. The optimalworking dilution should be determined by the investigator. Suggested starting dilution(?): · 1:20 - 1:2,000 for mostapplications | | |
| Disclaimer: For in vitro Laboratory Use Only. Not for diagnostic or therapeutic use. Not for human or animal consumption. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license under any patent of ImmunoReagents, Inc. | | |

Product may not be resold or modified for resale without prior written approval of ImmunoReagents, Inc.