

The following list contains the Material Safety Data Sheets you requested. Please scroll down to view the requested MSDS(s).

Product	MSDS	Distributor	Format	Language	Quantity
2553500	199532	Hach Company	ROWGHS	English	1
2553500	2254232	Hach Company	ROWGHS	English	1
2553500	2386442	Hach Company	ROWGHS	English	1
2557000	2263411	Hach Company	ROWGHS	English	1
2557000	2263511	Hach Company	ROWGHS	English	1
2557000	2297255	Hach Company	ROWGHS	English	1
2563000	2493023	Hach Company	ROWGHS	English	1
2563000	2493120	Hach Company	ROWGHS	English	1
2563000	2493220	Hach Company	ROWGHS	English	1
2563000	2493023	Hach Company	ROWGHS	English	1
2563000	2493120	Hach Company	ROWGHS	English	1
2563000	2493220	Hach Company	ROWGHS	English	1

Total Enclosures: 12

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00187

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Molybdate 3 Reagent for Silica

Catalog Number: 199532

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00187

Chemical Name: Not applicable

CAS Number: Not applicable

Additional CAS No. (for hydrated forms): Not applicable

Chemical Formula: Not applicable

Chemical Family: Mixture

Intended Use: Laboratory Reagent Silica determination

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Corrosive to Metals: Met. Corr. 1 Skin Corrosion/Irritation: Skin Corr. 1A Specific Target Organ Toxicity - Repeated Exposure: STOT RE. 2

GHS Label Elements:

DANGER



Hazard statements: May be corrosive to metals. Causes severe skin burns and eye damage. May cause damage to organs through prolonged or repeated exposure.

Precautionary statements: Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves / protective clothing / eye protection / face protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

HMIS:

Health: 3

Flammability: 0

Reactivity: 1

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 3

Flammability: 0

Reactivity: 1

Symbol: Not applicable

WHMIS Hazard Classification: Class D, Division 1, Subdivision A - Very toxic materials (immediate effects) Class E - Corrosive material

WHMIS Symbols: Corrosive Acute Poison

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Sodium Bisulfate

CAS Number: 7681-38-1

Chemical Formula: NaHSO₄

GHS Classification: Acute Tox. 5-Orl, H303; Eye Dam. 1, H318

Percent Range (Trade Secret): 10.0 - 20.0

Percent Range Units: weight / volume

PEL: 15 mg/m³ as total dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Corrosive

Molybdic Acid

CAS Number: 7782-91-4

Chemical Formula: H₂MoO₄

GHS Classification: Acute Tox. 5-Orl, H303; Acute Tox. 5-Derm, H313; Eye Irrit. 2A, H319; STOT Single 3, H335; STOT Rep. 1, H372

Percent Range (Trade Secret): 5.0 - 15.0

Percent Range Units: weight / weight

PEL: 5 mg/m³ as Mo

TLV: 10 mg/m³ as Mo

WHMIS Symbols: Acute PoisonOther Toxic Effects

Sulfuric Acid

CAS Number: 7664-93-9

Chemical Formula: H₂SO₄

GHS Classification: Met. Corr. 1 H290; Skin Corr. 1A, H314; Aquatic Acute 3, H402

Percent Range (Trade Secret): 5.0 - 15.0

Percent Range Units: volume / volume

PEL: 1 mg/m³

TLV: 1 mg/m³

WHMIS Symbols: Acute PoisonCorrosive

Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5

Chemical Formula: H₂O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): 60.0 - 70.0

Percent Range Units: volume / volume

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Remove contaminated clothing. If exposed to paper within, wash with soap and plenty of water for 15 minutes. Call physician if irritation develops.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, corrosive and toxic gases may be generated by thermal decomposition.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

Extinguishing Media: Water. Dry chemical. Carbon dioxide

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: None reported

Hazardous Combustion Products: None reported

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment. Dike large spills to keep spilled material from entering sewage and drainage systems or bodies of water.

Clean-up Technique: If permitted by regulation, Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution. Otherwise, Pick up spill for disposal and place in a closed container. Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 154

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Use with adequate ventilation. Maintain general industrial hygiene practices when using this product.

Storage: Store between 10° and 25°C. Keep away from: oxidizers reducers alkalies

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use general ventilation to minimize exposure to mist, vapor or dust. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: lab coat neoprene latex gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it.

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Use with adequate ventilation. Keep away from: oxidizers reducers alkalies

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless to light yellow liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: Not determined

Odor Threshold: Not determined

pH: < 0.5

Metal Corrosivity:

Corrosivity Classification: Classified as corrosive to metals.
Steel: 5.97 in/yr (151.6 mm/yr)
Aluminum: Not determined
Specific Gravity/ Relative Density (water = 1; air =1): 1.2 - 1.3
Viscosity: Not determined
Solubility:
Water: Soluble
Acid: Soluble
Other: Not determined
Partition Coefficient (n-octanol / water): Not determined
Coefficient of Water / Oil: Not determined
Melting Point: Not applicable
Decomposition Temperature: Not determined
Boiling Point: ~ 100 °C
Vapor Pressure: Not determined
Vapor Density (air = 1): Not determined
Evaporation Rate (water = 1): Not determined
Volatile Organic Compounds Content: Not applicable
Flammable Properties: During a fire, corrosive and toxic gases may be generated by thermal decomposition.
Flash Point: > 212 °F; > 100 °C
Method: Closed cup
Flammability Limits:
Lower Explosion Limits: Not applicable
Upper Explosion Limits: Not applicable
Autoignition Temperature: Not applicable
Explosive Properties:
Not classified according to GHS criteria.
Oxidizing Properties:
Not classified according to GHS criteria.
Reactivity Properties:
Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.
Gas under Pressure:
Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Mechanical Impact: None reported
Static Discharge: None reported.
Reactivity / Incompatibility: Incompatible with: reducers oxidizers strong bases
Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides
Conditions to Avoid: Extreme temperatures Heating to decomposition.

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.
Toxicologically Synergistic Products: None reported
Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data Route Data Given Below
ATE Oral Rat LD50 = 7099 mg/kg
614.3
Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.
Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Target Organs Respiratory Tract Liver
Skin Corrosion/Irritation: Corrosive to skin.
Based on classification principles and extreme pH.
Eye Damage: Corrosive to eyes.
Sensitization: Based on classification principles, the classification criteria are not met.
CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): Potential carcinogen
Contains Molybdc Acid. Limited animal data showing casual relationship between molybdenum trioxide and lung carcinogenicity. The trioxide becomes molybdc acid in aqueous solution.

The substance is not mutagenic.

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen

Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

An ingredient of this mixture is: NTP Listed Group 1: Recognized Carcinogen

Sulfuric Acid Mist or Vapor

This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion: May cause: burns of the mouth and esophagus nausea vomiting diarrhea circulatory disturbances rapid pulse and respirations loss of appetite anemia liver damage Molybdenum compounds may cause loss of coordination, enzyme activity effects, copper deficiency and gout.

Inhalation: May cause: irritation of nose and throat difficult breathing teeth erosion mouth soreness anemia liver damage

Skin Absorption: None Reported

Chronic Effects: Molybdenum poisoning signs include loss of appetite, listlessness and reduced growth rate. Excessive exposure to molybdenum compounds may cause gout and anemia. Chronic overexposure may cause enzyme activity effects copper deficiency erosion of the teeth chronic irritation or inflammation of the lungs cancer

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions Liver conditions Gout

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product. Mobility in soil: No data available Based on classification principles, not classified as hazardous to the environment.

CEPA Categorization: Persistent Not Bioaccumulative Not inherently toxic to aquatic organisms

Ingredient Ecological Information: Sulfuric Acid: The 48-Hour TLm in flounder is 100-300 ppm.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002

Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3264

Packing Group: III

T.D.G.:

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

Hazard Class: 8

Subsidiary Risk: NA

UN Number/PIN: 3264

Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3264

Packing Group: III

I.M.O.:

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3264

Packing Group: III

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard Reactive

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Sulfuric Acid 1000 lbs.

304 CERCLA RQ (40 CFR 302.4): Sulfuric Acid 1000 lbs.

304 EHS RQ (40 CFR 355): Sulfuric Acid - RQ 1000 lbs.

Clean Water Act (40 CFR 116.4): Sulfuric acid - RQ 1000 lbs.

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: CCINFO MSDS/FTSS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. In-house information. Technical Judgment. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987.

Complete Text of H phrases referred to in Section 3: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. Not applicable H318 Causes serious eye damage. . H319 Causes serious eye irritation. H335 May cause respiratory irritation. .

Revision Summary: Updates in Section(s) 14,

Date of MSDS Preparation:

Day: 15

Month: June

Year: 2015

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA
OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2015

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00341

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Citric Acid F Reagent
Catalog Number: 2254232

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00341
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Intended Use: Laboratory Reagent Silica test color stabilization and phosphate removal

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Serious Eye Damage/Eye Irritation: Eye Dam. 1 Skin Corrosion/Irritation: Skin Corr. 1B
Corrosive to Metals: Met. Corr. 1

GHS Label Elements:

DANGER



Hazard statements: May be corrosive to metals. Causes severe skin burns and eye damage.

Precautionary statements: Keep only in original container. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves / protective clothing / eye protection / face protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Dispose of contents/container according to state, local, federal or national regulations.

HMIS:

Health: 3

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 3

Flammability: 0

Reactivity: 0

Symbol: Not applicable

WHMIS Hazard Classification: Class D, Division 2, Subdivision B - Toxic material (other toxic effects) Class E - Corrosive material

WHMIS Symbols: Corrosive

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Citric Acid

CAS Number: 77-92-9

Chemical Formula: $C_6H_8O_7$

GHS Classification: Eye Irrit. 2 H319; Skin irrit. 2, H315

Percent Range (Trade Secret): 15.0 - 25.0

Percent Range Units: weight / volume

PEL: 15 mg/m³ as total dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Other Toxic Effects

Propionic acid

CAS Number: 79-09-4

Chemical Formula: $C_3H_6O_2$

GHS Classification: Flam. Liq. 3, H226; Acute Tox. 5 -Orl, H303; Skin Corr. 1B, H314; Aquatic Acute 3, H402

Percent Range (Trade Secret): < 1.0

Percent Range Units: volume / volume

PEL: Not established

TLV: 10 ppm (30 mg/m³)

WHMIS Symbols: Corrosive/Flammable / Combustible/Acute Poison

Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5

Chemical Formula: H_2O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): 75.0 - 85.0

Percent Range Units: volume / volume

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops. Remove contaminated clothing.

Inhalation: Remove to fresh air.

Ingestion (First Aid): Give large quantities of water. Call physician immediately. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: May react violently with: metal nitrates

Hazardous Combustion Products: This material will not burn.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: If permitted by regulation, Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Otherwise, Dispose of in accordance with local, state and federal regulations or laws. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 153

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep container tightly closed when not in use.

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: lab coat disposable latex gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it.

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin Wash thoroughly after handling.

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless

Physical State: Liquid

Molecular Weight: Not applicable

Odor: None

Odor Threshold: Odorless

pH: 1.0

Metal Corrosivity:

Corrosivity Classification: Classified as corrosive to metals.

Steel: 0.324 in/yr

Aluminum: 0.005 in/yr

Specific Gravity/ Relative Density (water = 1; air =1): 1.07

Viscosity: Not determined

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Partition Coefficient (n-octanol / water): Not determined

Coefficient of Water / Oil: Not determined

Melting Point: < 0°C (< 32°F)

Decomposition Temperature: Not determined

Boiling Point: > 100°C (> 212°F)

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined
Evaporation Rate (water = 1): 0.93
Volatile Organic Compounds Content: Not applicable
Flammable Properties: Material will not burn.
Flash Point: Not applicable
Method: Not applicable
Flammability Limits:
Lower Explosion Limits: Not applicable
Upper Explosion Limits: Not applicable
Autoignition Temperature: Not applicable
Explosive Properties:
Not classified according to GHS criteria.
Oxidizing Properties:
Not classified according to GHS criteria.
Reactivity Properties:
Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.
Gas under Pressure:
Not applicable

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Mechanical Impact: None reported
Static Discharge: None reported.
Reactivity / Incompatibility: May react violently in contact with: metal nitrates
Hazardous Decomposition: Toxic fumes of: carbon dioxide carbon monoxide
Conditions to Avoid: Extreme temperatures

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.
Toxicologically Synergistic Products: None reported
Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data
ATE Oral Rat LD50 = 15779 mg/kg
ATE Dermal Rat LD50 = 53763 mg/kg
ATE Inhalation Rat LC50 = 526.9 mg/L/4 hr
Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.
Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.
Skin Corrosion/Irritation: Corrosive to skin.
Eye Damage: Corrosive to eyes.
Sensitization: Based on classification principles, the classification criteria are not met.
CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found.
This product does NOT contain any NTP listed chemicals.
This product does NOT contain any OSHA listed carcinogens.
Symptoms/Effects:
Ingestion: None reported
Inhalation: No effects anticipated
Skin Absorption: No effects anticipated
Chronic Effects: Citric acid chronic overexposure may cause effects due to the ability of citric acid to chelate metals, which could impair the body's ability to absorb calcium and iron.
Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
No ecological data available for this product. Mobility in soil: No data available
CEPA Categorization: Not Persistent or Bioaccumulative. Not inherently toxic to aquatic organisms.

Ingredient Ecological Information: --

Citric Acid: Lepomis macrochirus LC50 (96 hrs): 1516 mg/L; Daphnia magna LC50 (72 hrs): 120mg/L; LC50 Leuciscus idus melanotus 48h = 440 mg/l; LC50 Crustaceans 48 h = 160 mg/l; No bioaccumulation potential, rapidly biodegradable.
Propionic Acid: 1.4 g oxygen/g; 96-h LC50 - fathead minnow: >1000 mg/l; LC50 Oncorhynchus mykiss 96h = 51.0 - 73.2 mg/l; EC50 Daphnia magna 48h = 45.8 mg/l

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002

Special Instructions (Disposal): Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

Empty Containers: Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state or federal regulations. Dispose of empty container as normal trash. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s
(Citric Acid Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3265

Packing Group: III

T.D.G.:

Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S.
(Citric Acid Solution)

Hazard Class: 8

Subsidiary Risk: NA

UN Number/PIN: 3265

Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S.
(Citric Acid Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3265

Packing Group: III

I.M.O.:

Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S.
(Citric Acid Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3265

Packing Group: III

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Propionic acid 5000 lbs.

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Propionic acid - RQ 5000 lbs.

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): Not applicable

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. In-house information.

Complete Text of H phrases referred to in Section 3: H226 Flammable liquid and vapour. Not applicable H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H319 Causes serious eye irritation. .

Revision Summary: Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 06

Month: June

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable

ND - Not Determined

NV - Not Available

w/w - weight/weight

w/v - weight/volume

v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA
OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2015

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00386

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Amino Acid F Reagent Solution
Catalog Number: 2386442

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00386
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Mixture
Intended Use: Silica determination

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: . Skin Corrosion/Irritation: Skin Irrit. 2 Serious Eye Damage/Eye Irritation: Eye Dam. 1
Respiratory or Skin Sensitization: Resp. Sens.1

GHS Label Elements:

DANGER



Hazard statements: . Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements: Wear protective gloves / protective clothing / eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim/person to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

HMIS:

Health: 2

Flammability: 1

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 2

Flammability: 1

Reactivity: 0

Symbol: Not applicable

WHMIS Hazard Classification: Class D, Division 2, Subdivision B - Toxic material (other toxic effects)

WHMIS Symbols: Other Toxic Effects

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Aminomethylpropanol

CAS Number: 124-68-5

Chemical Formula: $C_4H_{11}NO$

GHS Classification: Flam. Liq. 4, H227; Acute Tox. 5 -Orl, H303; Acute Tox. 5 -Derm, H313; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Aquatic Chronic 3, H412

Percent Range (Trade Secret): 5.0 - 10.0

Percent Range Units: weight / weight

PEL: Not established

TLV: Not established

WHMIS Symbols: Corrosive/Flammable / Combustible

Sodium Metabisulfite

CAS Number: 7681-57-4

Chemical Formula: $Na_2S_2O_5$

GHS Classification: Acute Tox. Orl 4, H302; Acute Tox. Derm 5, H313; Acute Tox. Inh. 4, H332; Skin Irrit. 2, H315; Eye Dam. 1, H318; Resp. Sens. 1, H334; Aquatic Chronic 3, H412

Percent Range (Trade Secret): 5.0 - 10.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 5 mg/m³

WHMIS Symbols: Other Toxic Effects

Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5

Chemical Formula: H_2O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): 80.0 - 90.0

Percent Range Units: weight / weight

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

Fast Amino Acid (Trade Secret)

CAS Number: Confidential

Chemical Formula: Confidential.

GHS Classification: Acute Tox. Orl. 5, H303

Percent Range (Trade Secret): < 1.0

Percent Range Units: weight / weight

PEL: Handle as a nuisance dust.

TLV: Handle as a nuisance dust.

HMIRA Registry Number 9093 Filed: 2013/12/23

WHMIS Symbols: Other Toxic Effects

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician immediately.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops. Remove contaminated clothing.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

Ingestion (First Aid): Never give anything by mouth to an unconscious person. Rinse mouth with plenty of water. Give large quantities of water. If you feel unwell, contact a physician. If concerned contact a physician.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material is not classified as flammable according to GHS criteria. Can burn in fire, releasing toxic vapors.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: May react violently with: strong oxidizers strong acids strong bases

Hazardous Combustion Products: Toxic fumes of: sulfur oxides. carbon monoxide, carbon dioxide. sodium oxides

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment. Absorb spilled liquid with non-reactive sorbent material. Releases of this material may contaminate the environment.

Clean-up Technique: Wear appropriate protective equipment as defined by MSDS. Avoid breathing spilled material. Avoid contact with spilled material. Absorb spilled liquid with non-reactive sorbent material. Sweep up material. Place material in a plastic bag. Decontaminate the area of the spill with a soap solution. Pick up spill for disposal and place in a closed container. Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a gallon or more of liquid is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing. Use with adequate ventilation. Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep this product in its original container when not in use. Keep container tightly closed when not in use. Store in a cool, dry, well-ventilated place. Protect from: heat light. Keep away from: oxidizers acids / acid fumes. bases

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: nitrile gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing. Use with adequate ventilation. Do not breathe: mist/vapor. Wash thoroughly after handling. Protect from: light heat. Keep away from: oxidizers acids/acid fumes bases

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow to Brown Liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: Sweet, pungent

Odor Threshold: Not determined

pH: 7.4

Metal Corrosivity:

Corrosivity Classification: Not classified as corrosive to metals according to GHS criteria.
Steel: 0.043 inch/yr
Aluminum: 0.002 in/yr
Specific Gravity/ Relative Density (water = 1; air =1): 1.115
Viscosity: Not determined
Solubility:
Water: Miscible
Acid: Miscible
Other: Not determined
Partition Coefficient (n-octanol / water): Not applicable
Coefficient of Water / Oil: Not applicable
Melting Point: -7 °C (19 °F)
Decomposition Temperature: Not determined
Boiling Point: 99 °C (210 °F)
Vapor Pressure: ~ 17 mm Hg (2.3 kPa) at 20 °C (68 °F)
Vapor Density (air = 1): ~ 0.6
Evaporation Rate (water = 1): 0.84
Volatile Organic Compounds Content: Not available
Flammable Properties: Material is not classified as flammable according to GHS criteria. Can burn in fire, releasing toxic vapors.
Flash Point: > 93.3 °C (> 200 °F)
Method: Closed cup
Flammability Limits:
Lower Explosion Limits: Not available
Upper Explosion Limits: Not available
Autoignition Temperature: Not available
Explosive Properties:
Not classified according to GHS criteria.
Oxidizing Properties:
Not classified according to GHS criteria.
Reactivity Properties:
Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.
Gas under Pressure:
Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Mechanical Impact: None reported
Static Discharge: None reported.
Reactivity / Incompatibility: May react violently in contact with: strong acids strong bases strong oxidizers
Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides carbon dioxide carbon monoxide
Conditions to Avoid: Exposure to light. Extreme temperatures Contact with acid or acid fumes Contact with oxidizers
Incompatibles Poor Ventilation

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.
Toxicologically Synergistic Products: None reported
Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data Based on classification principles, the classification criteria are not met. Route Data Given Below
Oral Rat LD50 = 4423 mg/kg
Dermal Rat/Rabbit LD50 = 10770 mg/kg
Inhalation Rat LC50 = 21 mg/L/4 hr
Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.
Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met. Summary of findings reported in the literature follow.

Sodium Metabisulfite: Oral Rat TDLo = 75 mg/kg/15 days/Phosphatases, dehydrogenases; Oral Rat TDLo = 1056 mg/kg/6 wk/Alteration of classical conditioning, metabolism: lipids including transport, retinal changes pigmentary deposition, retinitis.

Skin Corrosion/Irritation: Irritating to skin.

Eye Damage: Corrosive to eyes.

Sensitization: Respiratory Sensitizer Contains a sensitizing compound. Testing data given below.

Sodium Metabisulfite: Mild exposure may cause dyspnea, pleuritic chest pain, cough and bronchospasm. Pulmonary dysfunction similar to asthma has been reported. Can trigger bronchoconstriction in asthma patients.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): Based on classification principles, the classification criteria are not met. Summary of findings reported in the literature follow.

Sodium Metabisulfite: Cytogenetic Analysis - Hamster Ovary - 0.180 mg/L; Mutation in Microorganisms - Salmonella typhimurium - 100 mmol/L; Sister-Chromatid Exchange - Hamster Ovary - 0.200 mg/L

Sodium Metabisulfite: Oral Rat TDLo = 20 g/kg/Stillbirth; Oral Rat TDLo = 40 g/kg/Weaning or lactation index; Rabbit LOAEL = 123 mg/kg/13 days/Delayed ossification, gross skeletal abnormalities, pup mortality increase

An ingredient of this mixture is: IARC Group 3: Non-classifiable

Metabisulfites

This product does NOT contain any NTP listed chemicals.

This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion: May be harmful if swallowed May cause: abdominal pain allergic respiratory reaction diarrhea liver damage Very large doses may cause: central nervous system depression circulatory disturbances

Inhalation: May cause: allergic respiratory reaction headache nausea vomiting

Skin Absorption: Will be absorbed through the skin. No effects anticipated

Chronic Effects: Chronic overexposure may cause allergic respiratory reactions

Medical Conditions Aggravated: Sulfites are strong sensitizers. Inhalation and ingestion may cause allergic respiratory reactions in asthmatics. Persons with respiratory conditions should take special care when working with products that contain sulfites.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product. Based on classification principles, not classified as hazardous to the environment. No bioaccumulation potential Mobility in soil: Highly mobile

Method Used for Estimation of Aquatic Toxicity of Mixture Summation Method M-factor (Multiplier) for highly toxic ingredients: 1

Ingredient Ecological Information: Sodium metabisulfite: Salmo gairdneri 96 hr LC50 = 15-220 mg/L; Daphnia magna 24 hr EC50 = 89 mg/L; Scenedesmus subspicatus 96 hr EC50 = 40 mg/L; LC50 96 hr Lepomis macrochirus = 32 mg/L; LC50 96 hr fish > 12.5 mg/L; LC50 96 hr rainbow trout = 150 mg/L;

Aminomethylpropanol: Pleuronectes platessa 96 hr LC50 = 184 mg/L; Daphnia magna 48 hr EC50 = 193 mg/L; Daphnia magna 24 hr EC50 = 65 mg/L; Scenedesmus subspicatus 72 hr EC50 = ca. 520 mg/L.

CEPA Categorization: Sodium Metabisulfite: Persistent, Not inherently toxic to aquatic organisms, Not Bioaccumulative.

CEPA Categorization: Aminomethylpropanol: Not Persistent or Bioaccumulative. Not inherently toxic to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable

Special Instructions (Disposal): If permitted by regulation, Open cold water tap completely, slowly pour the material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Otherwise, Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

Empty Containers: Working in a well-ventilated area, Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state or federal regulations. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

T.D.G.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

UN Number/PIN: NA

Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

I.M.O.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: New Jersey Trade Secret Registry Number 80100131-5000 (Amino Acid F) New York Trade Secret Registry Number 477 (Amino Acid F) This product complies with Pennsylvania Trade Secret Regulations. This product is registered as a trade secret in the state of Illinois. This product is registered as a trade secret in the state of New York. This product is registered as a trade secret in the state of Massachusetts.

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: Some ingredients are not listed. Annual Report Required.

New Zealand Inventory (NZIoC) Status: Not Listed - Exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCs) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. In-house information. Outside Testing. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. Technical Judgment.

Complete Text of H phrases referred to in Section 3: H302 Harmful if swallowed. Not applicable H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Revision Summary: . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 06

Month: March

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00469

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Total Chlorine Indicator
Catalog Number: 2263411

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00469
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Intended Use: Laboratory Use Total chlorine analyzer reagent

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Corrosive to Metals: Met. Corr. 1 Skin Corrosion/Irritation: Skin Irrit. 2 Serious Eye Damage/Eye Irritation: Eye Dam. 1

GHS Label Elements:

DANGER



Hazard statements: May be corrosive to metals. Causes skin irritation. Causes serious eye damage.

Precautionary statements: Wear protective gloves / protective clothing / eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Absorb spillage to prevent material damage.

HMIS:

Health: 3

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 3

Flammability: 0

Reactivity: 0

Symbol: Not applicable

WHMIS Hazard Classification: Class E - Corrosive material Class D, Division 2, Subdivision A - Very toxic materials (other toxic effects)

WHMIS Symbols: Corrosive Other Toxic Effects

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Sulfuric Acid

CAS Number: 7664-93-9

Chemical Formula: H₂SO₄

GHS Classification: Met. Corr. 1 H290; Skin Corr. 1A, H314; Aquatic Acute 3, H402

Percent Range (Trade Secret): 5.0 - 15.0

Percent Range Units: weight / volume

PEL: 1 mg/m³

TLV: 1 mg/m³

WHMIS Symbols: Acute Poison Corrosive

Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5

Chemical Formula: H₂O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): 85.0 - 95.0

Percent Range Units: volume / volume

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Remove contaminated clothing. Wash skin with soap and plenty of water. Call physician immediately.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Call physician.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, this product decomposes to form toxic gases.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

Extinguishing Media: Dry chemical.

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: May react violently with: oxidizers reducers

Hazardous Combustion Products: May emit toxic and corrosive fumes.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: If permitted by regulation, Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with

an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution. Otherwise, Pick up spill for disposal and place in a closed container. Dispose of in accordance with local, state and federal regulations or laws.
Evacuation Procedure: Evacuate general area (50 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.
DOT Emergency Response Guide Number: 154

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes. Do not breathe mist or vapors. Use with adequate ventilation. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.
Storage: Store away from: reducers, alkalies. Protect from: heat. Store between 10° and 25°C.
Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use general ventilation to minimize exposure to mist, vapor or dust. Maintain general industrial hygiene practices when using this product.
Personal Protective Equipment:
Eye Protection: chemical splash goggles
Skin Protection: lab coat, disposable latex gloves. In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it.
Inhalation Protection: adequate ventilation
Precautionary Measures: Avoid contact with: eyes, skin. Do not breathe: mist/vapor. Use with adequate ventilation. Wash thoroughly after handling. Protect from: heat. Keep away from: oxidizers, reducers.
TLV: Not established
PEL: Not established
For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid
Physical State: Liquid
Molecular Weight: Not applicable
Odor: None
Odor Threshold: Not established
pH: < 0.5
Metal Corrosivity:
Corrosivity Classification: Classified as corrosive to metals.
Steel: 0.7725
Aluminum: 0.290
Specific Gravity/ Relative Density (water = 1; air = 1): 1.056
Viscosity: Not applicable
Solubility:
Water: Soluble
Acid: Soluble
Other: Not determined
Partition Coefficient (n-octanol / water): Not applicable
Coefficient of Water / Oil: Not applicable
Melting Point: Not determined
Decomposition Temperature: Not applicable
Boiling Point: 100°C (212°F)
Vapor Pressure: Not determined
Vapor Density (air = 1): Not determined
Evaporation Rate (water = 1): 0.811
Volatile Organic Compounds Content: None
Flammable Properties: During a fire, this product decomposes to form toxic gases.
Flash Point: Not applicable
Method: Not applicable
Flammability Limits:
Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: Incompatible with: reducers alkalies oxidizers

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides

Conditions to Avoid: Extreme temperatures Heating to decomposition.

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data

ATE Oral rat LD50 = 19 455 mg/kg.

ATE Inhalation rat LC50 = 790 mg/L.

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Irritating to skin.

Skin testing of a 14% sulfuric acid solution results: Very slight erythema after 3 minute, 1 hour and 4 hour exposure. Not corrosive, not irritating

Eye Damage: Corrosive to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): Based on classification principles, the classification criteria are not met.

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen

Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

This product does NOT contain any NTP listed chemicals.

This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion: Causes: burns of the mouth and esophagus May cause: circulatory disturbances diarrhea nausea vomiting rapid pulse and respirations

Inhalation: May cause: irritation of nose and throat teeth erosion mouth soreness difficult breathing

Skin Absorption: Not applicable

Chronic Effects: Chronic overexposure may cause erosion of the teeth chronic irritation or inflammation of the lungs cancer

Medical Conditions Aggravated: Pre-existing: Respiratory conditions Eye conditions

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: Sulfuric Acid: The 48-Hour TLm in flounder is 100-300 ppm.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002

Special Instructions (Disposal): Work in an approved fume hood. Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(<15% Sulphuric Acid in Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3264

Packing Group: III

T.D.G.:

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(<15% Sulphuric Acid in Solution)

Hazard Class: 8

Subsidiary Risk: NA

UN Number/PIN: 3264

Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(<15% Sulphuric Acid in Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3264

Packing Group: III

I.M.O.:

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(<15% Sulphuric Acid in Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3264

Packing Group: III

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Sulfuric Acid 1000 lbs.

304 CERCLA RQ (40 CFR 302.4): Sulfuric Acid 1000 lbs.

304 EHS RQ (40 CFR 355): Sulfuric Acid - RQ 1000 lbs.

Clean Water Act (40 CFR 116.4): Sulfuric acid - RQ 1000 lbs.

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCs) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. In-house information. Technical Judgment. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987.

Complete Text of H phrases referred to in Section 3: H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation.

Revision Summary: . . . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3). Updates in Section(s) 2,

Date of MSDS Preparation:

Day: 03

Month: July

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable

ND - Not Determined

NV - Not Available

w/w - weight/weight

w/v - weight/volume

v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00470

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Total Chlorine Buffer Solution
Catalog Number: 2263511

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00470
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Intended Use: Buffer

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Corrosive to Metals: Met. Corr. 1 . Skin Corrosion/Irritation: Skin Corr. 1A Hazardous to the Aquatic Environment: Aquatic Chronic 3

GHS Label Elements:

DANGER



Hazard statements: May be corrosive to metals. . Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.

Precautionary statements: Keep only in original container. Do not breathe dust/fume/gas/mist/vapours/spray. Handle environmental release according to local, state, federal, provincial requirements. Wear protective gloves / protective clothing / eye protection / face protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim/person to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Absorb spillage to prevent material damage. Store in a well-ventilated place, locked up. Wash contaminated clothing before reuse.

HMIS:

Health: 3

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 3

Flammability: 0

Reactivity: 0

Symbol: Not applicable

WHMIS Hazard Classification: Class E - Corrosive material Class D, Division 2, Subdivision A - Very toxic materials (other toxic effects)

WHMIS Symbols: Corrosive Other Toxic Effects

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Potassium Iodide

CAS Number: 7681-11-0

Chemical Formula: KI

GHS Classification: Acute Tox 5 -Orl, H303; Skin Irr. 2, H315; Eye Irr. 2A, H319

Percent Range (Trade Secret): < 10.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as total dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Other Toxic Effects

Sodium Hydroxide

CAS Number: 1310-73-2

Chemical Formula: NaOH

GHS Classification: Met. Corr.1, H290; Skin Corr. 1A, H314; Aquatic Acute 3, H402

Percent Range (Trade Secret): 1.0 - 5.0

Percent Range Units: weight / weight

PEL: 2 mg/m³

TLV: Not established

WHMIS Symbols: Acute PoisonCorrosive

Decyl (sulfophenoxy) benzenesulfonic Acid, Disodium Salt

CAS Number: 36445-71-3

Chemical Formula: C₂₂H₂₈Na₂O₇S₂

GHS Classification: Acute Tox. Orl. 4, H302; Acute Tox. Derm. 4, H312; Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT Single 3, H335, H336; Aquatic Chronic 2, H411

Percent Range (Trade Secret): < 0.5

Percent Range Units: weight / weight

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

Oxybis(decylbenzenesulfonic Acid), Disodium Salt

CAS Number: 70146-13-3

Chemical Formula: C₃₂H₄₈Na₂O₇S₂

GHS Classification: Eye Dam. 1, H318; Aquatic Chronic 1, H410

Percent Range (Trade Secret): < 0.1

Percent Range Units: weight / weight

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

EDTA Tetrasodium Salt

CAS Number: 64-02-8

Chemical Formula: C₁₀H₁₂N₂Na₄O₈ 2H₂O

GHS Classification: Acute Tox. 4-Orl, H302; Eye Dam. 1, H318

Percent Range (Trade Secret): < 0.2

Percent Range Units: weight / weight

PEL: 15 mg/m³ as total dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Other Toxic Effects
Hazardous Components according to GHS: No
Demineralized Water

CAS Number: 7732-18-5
Chemical Formula: H₂O
GHS Classification: Not a dangerous substance according to GHS.
Percent Range (Trade Secret): 60.0 - 70.0
Percent Range Units: weight / weight
PEL: Not established
TLV: Not established

WHMIS Symbols: Not applicable
Sodium Citrate

CAS Number: 68-04-2
Chemical Formula: C₆H₅O₇Na₃ · 2H₂O
GHS Classification: Not applicable
Percent Range (Trade Secret): 15.0 - 25.0
Percent Range Units: weight / weight
PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust
TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable
Sodium Sulfate

CAS Number: 7757-82-6
Chemical Formula: Na₂SO₄
GHS Classification: Aquatic Acute 3, H402
Percent Range (Trade Secret): < 0.1
Percent Range Units: weight / weight
PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust
TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Remove contaminated clothing. Wash skin with plenty of water for 15 minutes. Call physician immediately.

Inhalation: Remove to fresh air.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: Can burn in fire, releasing toxic vapors.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: None reported

Hazardous Combustion Products: Toxic fumes of: iodine compounds carbon monoxide, carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: If permitted by regulation, Cover spilled material with a dry acid, such as citric or boric. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a weak acid solution. Otherwise, Pick up spill for disposal and place in a closed container. Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a gallon or more of liquid is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 154

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep away from: acids Protect from: heat

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: disposable latex gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it. lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Keep away from: acids/acid fumes Protect from: heat

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: None

Odor Threshold: Odorless

pH: 11.9

Metal Corrosivity:

Corrosivity Classification: Classified as corrosive to metals.

Steel: 0.010 in/yr

Aluminum: 29.71 in/yr

Specific Gravity/ Relative Density (water = 1; air =1): 1.246

Viscosity: Not applicable

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: Not available

Decomposition Temperature: Not applicable

Boiling Point: 106°C; 223°F

Vapor Pressure: Not available

Vapor Density (air = 1): Not available

Evaporation Rate (water = 1): 0.605

Volatile Organic Compounds Content: Not available

Flammable Properties: Can burn in fire, releasing toxic vapors.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not available

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

Not applicable

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: Incompatible with: acids oxidizers

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sodium oxides iodine compounds

Conditions to Avoid: Heat

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Corrosive to skin.

Eye Damage: Corrosive to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion: Can cause: burns of the mouth and esophagus nausea vomiting abdominal pain Toxic

Inhalation: May cause: respiratory tract irritation

Skin Absorption: None Reported

Chronic Effects: Iodines overdose, 'iodism', may cause skin rash, runny nose, headaches, fever and bronchitis.

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions

12. ECOLOGICAL INFORMATION

Product Ecological Information:

No ecological data available for this product.

Ingredient Ecological Information:

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002

Special Instructions (Disposal): Work in an approved fume hood. Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Sodium Hydroxide Solution

--

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN1824

Packing Group: II

T.D.G.:

Proper Shipping Name: Sodium Hydroxide Solution

--

Hazard Class: 8

Subsidiary Risk: NA

UN Number/PIN: 1824

Packing Group: II

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Sodium Hydroxide Solution

--

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN1824

Packing Group: II

I.M.O.:

Proper Shipping Name: Sodium Hydroxide Solution

--

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN1824

Packing Group: II

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Sodium Hydroxide 1000 lbs.

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Sodium Hydroxide - RQ = 1000 lbs. (454 kgs.)

RCRA: Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: Not determined

New Zealand Inventory (NZIoC) Status: Not determined

Korean Inventory (KECI) Status: Not determined

Japan (ENCS) Inventory Status: Not determined

China (PRC) Inventory (MEP) Status: Not determined

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Technical Judgment. In-house information. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984.

Complete Text of H phrases referred to in Section 3: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects.

Revision Summary: . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 30

Month: May

Year: 2015

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01127

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: DPD Compound for Free and Total Chlorine Analyzers
Catalog Number: 2297255

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M01127
Chemical Name: Confidential
CAS Number: Confidential
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Confidential
Chemical Family: Confidential
Intended Use: Laboratory Use
HMIRC Registry Number 8081 Granted: 12/02/24

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Acute Toxicity: Acute Tox. 4-Orl Serious Eye Damage/Eye Irritation:Eye Irrit. 2 Hazardous to the Aquatic Environment: Aquatic Chronic 3

GHS Label Elements:

WARNING



Hazard statements: Harmful if swallowed. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

Precautionary statements: Wear protective gloves / protective clothing / eye protection / face protection. Do not eat, drink or smoke when using this product. Handle environmental release according to local, state, federal, provincial requirements. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

HMIS:

Health: 2

Flammability: 1

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 2

Flammability: 1

Reactivity: 0

Symbol: Not applicable

WHMIS Hazard Classification: Class D, Division 2, Subdivision B - Toxic material (other toxic effects)

WHMIS Symbols: Other Toxic Effects

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Salt of N,N-Diethyl-p-Phenylenediamine

CAS Number: Confidential

Chemical Formula: Confidential

GHS Classification: Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chrn. 3, H412

Percent Range (Trade Secret): 100.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

HMIRC Registry Number 8081 Granted: 12/02/24

WHMIS Symbols: Other Toxic Effects

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician immediately.

Skin Contact (First Aid): Wash skin with soap and plenty of water. Remove contaminated clothing. Call physician immediately.

Inhalation: Remove to fresh air.

Ingestion (First Aid): Do not induce vomiting. Call physician immediately. Give 1-2 glasses of water under medical supervision. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammable Properties: Dusts at sufficient concentrations can form explosive mixtures with air. Can burn in fire, releasing toxic vapors.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: May react violently with: strong oxidizers

Hazardous Combustion Products: Toxic fumes of: carbon monoxide, carbon dioxide. nitrogen oxides.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Store between 10° and 25°C. Protect from: light moisture Keep away from: oxidizers

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it. lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: dust Wash thoroughly after handling. Use with adequate ventilation. Keep away from: oxidizers

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White powder

Physical State: Solid

Molecular Weight: Confidential

Odor: None

Odor Threshold: Not applicable

pH: 1.99 (5% sol'n)

Metal Corrosivity:

Corrosivity Classification: Not classified as corrosive to metals according to GHS criteria.

Steel: Not determined

Aluminum: Not determined

Specific Gravity/ Relative Density (water = 1; air =1): 1.226

Viscosity: Not applicable

Solubility:

Water: Completely soluble

Acid: Not determined

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: 180°C (356°F)

Decomposition Temperature: Not available

Boiling Point: Not applicable

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Evaporation Rate (water = 1): Not applicable

Volatile Organic Compounds Content: Not applicable

Flammable Properties: Dusts at sufficient concentrations can form explosive mixtures with air. Can burn in fire, releasing toxic vapors.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Explosive Properties:

Not applicable Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

Not classified as gas under pressure according to GHS.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Mechanical Impact: None reported
Static Discharge: None reported.
Reactivity / Incompatibility: Incompatible with: oxidizers
Hazardous Decomposition: Toxic fumes of: nitrogen oxides
Conditions to Avoid: Extreme temperatures Excess moisture Exposure to light.

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available
Toxicologically Synergistic Products: None reported
Acute Toxicity: Route Data Given Below
Oral rat (female) LD50 = 695 mg/kg; oral rat (male and female) LD50 = 970 mg/kg.
Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.
Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.
Skin Corrosion/Irritation: Based on classification principles, the classification criteria are not met.
Eye Damage: Test data follows.
Reversible conjunctivitis was reported in animal studies.
Sensitization: Based on classification principles, the classification criteria are not met.
CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found.
IARC Listed: No
NTP Listed: No
O.S.H.A. Listed: No
Symptoms/Effects:
Ingestion: DPD LD50 studies revealed decreased locomotor activity, depressed respiration, muscle spasms, loss of righting reflex and death. Autopsies revealed ulcerated stomach, enteritis, gas and congested lungs.
Inhalation: May cause: respiratory tract irritation
Skin Absorption: No effects anticipated
Chronic Effects: DPD may cause allergic skin reactions in some people causing severe skin rashes and itching. Not determined
Medical Conditions Aggravated: Allergy or sensitivity to salts of N,N-Diethyl-p-phenylenediamine

12. ECOLOGICAL INFORMATION

Product Ecological Information: Daphnia magna EC50 at 48 hrs: 10.8: NOEC 12.5 mg/L at 24 hrs, 3.1 mg/L at 48 hrs;
Ready Biodegradability To 60% in 21 days
Mobility in soil: No data available
When compounds is added to Indicator Solution, aquatic hazard endpoint is not reached. No aquatic classification when used as directed.
Ingredient Ecological Information: --
Not applicable

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable
Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain.
Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.
NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

T.D.G.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

UN Number/PIN: NA

Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

I.M.O.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

Marine Pollutant:

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: This product is registered as a trade secret in the state of Massachusetts. This product is registered as a trade secret in the state of Illinois. This product complies with Pennsylvania Trade Secret Regulations. New Jersey Trade Secret Registry Number 80100131-5002 (DPD Salt) New York Trade Secret Registry Number 478 (DPD Salt) This product is registered as a trade secret in the state of New York.

National Inventories:

U.S. Inventory Status: TSCA Listed: Yes

CAS Number: Confidential

Canadian Inventory Status: DSL Listed: Yes

EEC Inventory Status: EINECS / ELINCS Listed: No
Australian Inventory (AICS) Status: Exempt. Annual Report Required.
New Zealand Inventory (NZIoC) Status: Listed
Korean Inventory (KECI) Status: Not listed - exempt. Quantity < 100 kg per annum.
Japan (ENCS) Inventory Status: Not Listed - Exempt.
China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. In-house information. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Outside Testing. Sixth Annual Report on Carcinogens, 1991. U.S. Department of Health and Human Services. Rockville, MD: Technical Resources, Inc. 1991. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

Complete Text of H phrases referred to in Section 3: H302 Harmful if swallowed. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.

Revision Summary: . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 29

Month: April

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2016

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01116

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Blanking Reagent for Ultra Low Range Chlorine
Catalog Number: 2493023

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M01116
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Intended Use: Laboratory Reagent

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Specific Target Organ Toxicity - Single Exposure: STOT SE 3 Corrosive to Metals: Met. Corr. 1
Skin Corrosion/Irritation: Skin Corr. 1A

GHS Label Elements:

DANGER



Hazard statements: May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation.

Not applicable

Precautionary statements: Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves / protective clothing / eye protection / face protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF INHALED: Remove victim/person to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Dispose of contents/container according to state, local, federal or national regulations.

HMIS:

Health: 3

Flammability: 1

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 3

Flammability: 1

Reactivity: 0

Symbol: Not applicable

WHMIS Hazard Classification: Class D, Division 2, Subdivision B - Toxic material (other toxic effects)

WHMIS Symbols: Corrosive

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Malonic Acid

CAS Number: 141-82-2

Chemical Formula: C₃H₄O₄

GHS Classification: Acute Tox. Orl 4, H302; Acute Tox. Inh. 4, H332; Skin Irrit. 3, H316; Eye Irrit. 2A, H319; STOT Single 3, H335

Percent Range (Trade Secret): 15.0 - 25.0

Percent Range Units: weight / volume

PEL: Not established

TLV: Not established

WHMIS Symbols: Other Toxic Effects

Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5

Chemical Formula: H₂O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): 75.0 - 85.0

Percent Range Units: volume / volume

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.

Inhalation: None required.

Ingestion (First Aid): Give large quantities of water. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: None reported

Hazardous Combustion Products: This material will not burn.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: Wear appropriate protective equipment as defined by MSDS. If permitted by regulation, Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up spilled material into a large beaker and dissolve with water. Adjust to a pH between 6 and 9. Use sulfuric or citric acid to lower pH. Use soda ash or sodium

bicarbonate to increase pH. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution. Otherwise, Absorb spilled liquid with non-reactive sorbent material. Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a pound or more of loose powder is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 153

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: heat

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Protect from: heat Avoid contact with: eyes skin Wash thoroughly after handling.

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless

Physical State: Liquid

Molecular Weight: Not applicable

Odor: None

Odor Threshold: Not applicable

pH: 0.54 @ 23°C

Metal Corrosivity:

Corrosivity Classification: Classified as corrosive to metals.

Steel: 0.860 in/yr

Aluminum: 0.030 in/yr

Specific Gravity/ Relative Density (water = 1; air =1): 1.09

Viscosity: Not determined

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: Not applicable

Decomposition Temperature: Not determined

Boiling Point: 99°C; 210°F

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Evaporation Rate (water = 1): 0.014

Volatile Organic Compounds Content: Not determined

Flammable Properties: Material will not burn.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: Incompatible with: oxidizers

Hazardous Decomposition: None reported

Conditions to Avoid: Heat

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Based on classification principles, the classification criteria are not met.

ATE (Mix) Oral LD50 = 5492 mg/Kg

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Respiratory Tract

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Corrosive to skin.

Eye Damage: Corrosive to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): Based on classification principles, the classification criteria are not met.

IARC Listed: No

NTP Listed: No

O.S.H.A. Listed: No

Symptoms/Effects:

Ingestion: May cause: gastrointestinal tract irritation difficult breathing cyanosis (a reduction of the blood's ability to carry oxygen, giving a bluish discoloration)

Inhalation: No data reported.

Skin Absorption: None Reported

Chronic Effects: None reported

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002

Special Instructions (Disposal): If permitted by regulation, Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Otherwise, Dispose of material in an E.P.A. approved hazardous waste facility.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s

(Malonic Acid Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3265

Packing Group: III

T.D.G.:

Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S.

(Malonic Acid Solution)

Hazard Class: 8

Subsidiary Risk: NA

UN Number/PIN: 3265

Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S.

(Malonic Acid Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3265

Packing Group: III

I.M.O.:

Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S.

(Malonic Acid Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3265

Packing Group: III

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

None

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: Not determined

New Zealand Inventory (NZIoC) Status: Not determined

Korean Inventory (KECI) Status: Not determined

Japan (ENCS) Inventory Status: Not determined

China (PRC) Inventory (MEP) Status: Not determined

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Technical Judgment. Vendor Information.

Complete Text of H phrases referred to in Section 3: H290 May be corrosive to metals. H335 May cause respiratory irritation.

Revision Summary: . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 05

Month: December

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17.

Legend:

NA - Not Applicable

ND - Not Determined

NV - Not Available

w/w - weight/weight

w/v - weight/volume

v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01228

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Ultra Low Range Chlorine Buffer
Catalog Number: 2493120

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M01228
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Intended Use: Buffer

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Skin Corrosion/Irritation: Skin Irrit. 2 Serious Eye Damage/Eye Irritation: Eye Irrit. 2A

GHS Label Elements:
WARNING



Hazard statements: Causes skin irritation. Causes serious eye irritation.

Precautionary statements: Wear protective gloves / protective clothing / eye protection / face protection. Wear eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

HMIS:

Health: 0

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 0

Flammability: 0

Reactivity: 0

Symbol: Not applicable

WHMIS Hazard Classification: Not applicable

WHMIS Symbols: Not applicable

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Potassium Iodide

CAS Number: 7681-11-0

Chemical Formula: KI

GHS Classification: Acute Tox 5 -Orl, H303; Skin Irr. 2, H315; Eye Irr. 2A, H319

Percent Range (Trade Secret): 10-15

Percent Range Units: weight / weight

PEL: 15 mg/m³ as total dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Other Toxic Effects

Sodium Phosphate, Dibasic

CAS Number: 7558-79-4

Chemical Formula: Na₂HPO₄

GHS Classification: Skin Irrit. 2, H315; Eye Irrit. 2A, H319

Percent Range (Trade Secret): 10-15

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable

Ethylenediaminetetraacetic Acid, Disodium Salt

CAS Number: 139-33-3

Chemical Formula: C₁₀H₁₄N₂Na₂O₈2H₂O

GHS Classification: Acute Tox. 5-Orl, H303; Eye Irrit. 2A, H319; Aquatic Acute 2, H401

Percent Range (Trade Secret): < 0.5

Percent Range Units: weight / weight

PEL: 15 mg/m³ as total dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable

Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5

Chemical Formula: H₂O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): 50.0 - 60.0

Percent Range Units: weight / weight

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

Sodium Citrate

CAS Number: 68-04-2

Chemical Formula: C₆H₅O₇Na₃ · 2H₂O

GHS Classification: Not applicable

Percent Range (Trade Secret): 10.0 - 20.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.
Inhalation: None required.
Ingestion (First Aid): Give large quantities of water. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, irritating and highly toxic gases may be generated by thermal decomposition.
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire / Explosion Hazards: None reported
Hazardous Combustion Products: Toxic fumes of: sodium monoxide phosphorus oxides potassium oxides iodine compounds

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:
Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.
Containment Technique: Stop spilled material from being released to the environment. Absorb spilled liquid with non-reactive sorbent material.
Clean-up Technique: If permitted by regulation, Absorb spilled liquid with non-reactive sorbent material. Place material in a plastic bag. Mark bag 'Non-hazardous trash', and dispose of as normal refuse. Decontaminate the area of the spill with a soap solution. Otherwise, Dispose of in accordance with local, state and federal regulations or laws.
Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.
DOT Emergency Response Guide Number: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.
Storage: Keep container tightly closed when not in use. Protect from: freezing
Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.
Personal Protective Equipment:
Eye Protection: safety glasses with top and side shields
Skin Protection: disposable latex gloves lab coat
Inhalation Protection: adequate ventilation
Precautionary Measures: Avoid contact with: eyes Do not breathe: mist/vapor Wash thoroughly after handling.
TLV: Not established
PEL: Not established
For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid
Physical State: Liquid
Molecular Weight: Not applicable
Odor: None
Odor Threshold: Odorless
pH: 8.3
Metal Corrosivity:

Corrosivity Classification: Classed as corrosive to skin. Not generally classed as corrosive to metals in addition to skin classification.

Steel: 0.008 in/yr

Aluminum: 0.202 in/yr

Specific Gravity/ Relative Density (water = 1; air =1): 1.300

Viscosity: Not determined

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: Not applicable

Decomposition Temperature: Not determined

Boiling Point: 99°C

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Evaporation Rate (water = 1): 0.011

Volatile Organic Compounds Content: Not applicable

Flammable Properties: During a fire, irritating and highly toxic gases may be generated by thermal decomposition.

Flash Point: >212°F

Method: Open cup

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not determined

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: Incompatible with: oxidizers

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sodium monoxide phosphorus oxides potassium oxide iodine compounds

Conditions to Avoid: Extreme temperatures

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data

Oral rat LD50 = 18533 mg/kg.

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Irritating to skin.

Eye Damage: Irritating to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found.

This product does NOT contain any IARC listed chemicals.
This product does NOT contain any NTP listed chemicals.
This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion: May cause: vomiting lethargy May cause iodism, which symptoms include skin rash, conjunctivitis, runny nose, sneezing, bronchitis, headache, fever and irritation of mucous membranes.

Inhalation: No effects anticipated

Skin Absorption: No effects anticipated

Chronic Effects: Citric acid chronic overexposure may cause effects due to the ability of citric acid to chelate metals, which could impair the body's ability to absorb calcium and iron. Iodines overdose, 'iodism', may cause skin rash, runny nose, headaches, fever and bronchitis.

Medical Conditions Aggravated: Allergies or sensitivity to iodine.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

CEPA Statement: Water, Sodium Phosphate Dibasic: Persistent. Not bioaccumulative. Not inherently toxic to aquatic organisms. CEPA Statement: Potassium Iodide: Persistent. Not bioaccumulative. Inherently toxic to aquatic organisms.

CEPA Statement: Sodium Citrate, Ethylenediaminetetraacetic Acid Disodium Salt: Not persistent. Not bioaccumulative. Not inherently toxic to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable

Special Instructions (Disposal): If permitted by regulation, Dilute to 3 to 5 times the volume with cold water. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Otherwise, Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

Empty Containers: Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state or federal regulations. Dispose of empty container as normal trash. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

T.D.G.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

UN Number/PIN: NA

Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

I.M.O.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product does not meet the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): This product is not hazardous under 29 CFR.1910.1200 and therefore is not covered by Title III under SARA.

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Sodium Phosphate, Dibasic 5000 lbs.

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Sodium phosphate, dibasic - RQ 5000 lbs.

RCRA: Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): Not applicable

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. Technical Judgment.

Complete Text of H phrases referred to in Section 3: H252 Self-heating in large quantities; may catch fire. Not applicable H315 Causes skin irritation. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.

Revision Summary: Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 24

Month: February

Year: 2015

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA
OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2015

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00519

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: DPD Indicator
Catalog Number: 2493220

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00519
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Intended Use: Standard solution

2. HAZARDS IDENTIFICATION

GHS Classification:
Hazard categories: . Skin Corrosion/Irritation: Skin Corr. 1A
GHS Label Elements:
DANGER



Hazard statements: May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary statements: Wear protective gloves / protective clothing / eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Dispose of contents/container according to state, local, federal or national regulations.

HMIS:
Health: 4
Flammability: 0
Reactivity: 1
Protective Equipment: X - See protective equipment, Section 8.

NFPA:
Health: 3
Flammability: 0
Reactivity: 1
Symbol: Not applicable

WHMIS Hazard Classification: Class D, Division 2, Subdivision B - Toxic material (other toxic effects) Class E - Corrosive material

WHMIS Symbols: Other Toxic Effects Corrosive

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Sulfuric Acid

CAS Number: 7664-93-9

Chemical Formula: H₂SO₄

GHS Classification: Met. Corr. 1 H290; Skin Corr. 1A, H314; Aquatic Acute 3, H402

Percent Range (Trade Secret): 1.0 - 10.0

Percent Range Units: weight / weight

PEL: 1 mg/m³

TLV: 1 mg/m³

WHMIS Symbols: Acute Poison Corrosive

DPD Sulfate

CAS Number: 6283-63-2

Chemical Formula: C₁₀H₁₆N₂ · H₂SO₄

GHS Classification: Acute Tox 4-Orl, H302; Acute Tox 4- Der, H312; Eye Irrit. 2B, H319

Percent Range (Trade Secret): < 1.0

Percent Range Units: weight / weight

PEL: Not established

TLV: Not established

WHMIS Symbols: Acute Poison

Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5

Chemical Formula: H₂O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): 90.0 - 100.0

Percent Range Units: weight / weight

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with soap and plenty of water. Call physician if irritation develops.

Inhalation: Remove to fresh air.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn. During a fire, corrosive and toxic gases may be generated by thermal decomposition.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: May react violently with: strong bases

Hazardous Combustion Products: This material will not burn.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: If permitted by regulation, Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution. Otherwise, Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate general area (50 foot radius or as directed by your facility's emergency response plan) when: a gallon or more of liquid is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 154

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Use with adequate ventilation. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: heat freezing Keep away from: alkalies

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Use general ventilation to minimize exposure to mist, vapor or dust. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Use with adequate ventilation. Protect from: heat freezing Keep away from: alkalies

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: None

Odor Threshold: Not applicable

pH: 0.05

Metal Corrosivity:

Corrosivity Classification: Classified as corrosive to metals.

Steel: 0.962 in/yr (24.4 mm/yr)

Aluminum: 0.297 in/yr (7.54 mm/yr)

Specific Gravity/ Relative Density (water = 1; air =1): 1.0315

Viscosity: Not determined

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: Not determined

Decomposition Temperature: Not determined

Boiling Point: 99°C (210°F)

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Evaporation Rate (water = 1): 0.012

Volatile Organic Compounds Content: None

Flammable Properties: Material will not burn. During a fire, corrosive and toxic gases may be generated by thermal decomposition.

Flash Point: > 93°C (> 200°F)

Method: Closed cup

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: Incompatible with: caustics

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides

Conditions to Avoid: Extreme temperatures Exposure to light.

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data

ATE Rat Oral LD50 = 41554 mg/kg

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Corrosive to skin.

Eye Damage: Corrosive to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found.

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen

Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

This product does NOT contain any NTP listed chemicals.

This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion: May cause: burns of the mouth and esophagus lung damage death

Inhalation: May cause: respiratory tract irritation teeth erosion mouth soreness difficult breathing

Skin Absorption: Will be absorbed through the skin.

Chronic Effects: Chronic overexposure may cause chronic irritation or inflammation of the lungs erosion of the teeth allergic skin reactions lung damage cancer

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions Allergy or sensitivity to salts of N,N-Diethyl-p-phenylenediamine

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: Sulfuric Acid: 96 hr *Lepomis macrochirus* LC50 = 16-28 mg/L; 24 hr LC50 = 82 mg/L; 48 hr *Crangon crangon* EC50 = 70-80 mg/L.

CEPA Statement: Water, Sulfuric Acid: Persistent. Not bioaccumulative. Not inherently toxic to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002

Special Instructions (Disposal): Dispose of material in an E.P.A. approved hazardous waste facility.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(<10% Sulphuric Acid in Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3264

Packing Group: III

T.D.G.:

Proper Shipping Name: Corrosive Solid, Acidic, Inorganic, N.O.S.
(<10% Sulphuric Acid in Solution)

Hazard Class: 8

Subsidiary Risk: NA

UN Number/PIN: 3264

Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(<10% Sulphuric Acid in Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3264

Packing Group: III

I.M.O.:

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(<10% Sulphuric Acid in Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3264

Packing Group: III

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Sulfuric Acid 1000 lbs.

304 CERCLA RQ (40 CFR 302.4): Sulfuric Acid 1000 lbs.

304 EHS RQ (40 CFR 355): Sulfuric Acid - RQ 1000 lbs.

Clean Water Act (40 CFR 116.4): Sulfuric acid - RQ 1000 lbs.

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: New Jersey Trade Secret Registry Number 80100131-5002 (DPD Salt) New York Trade Secret Registry Number 478 (DPD Salt) This product complies with Pennsylvania Trade Secret Regulations. This product is registered as a trade secret in the state of Illinois. This product is registered as a trade secret in the state of Massachusetts.

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS or are placed on the market in quantities less than 10 kg per year.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. Technical Judgment.

Complete Text of H phrases referred to in Section 3: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H319 Causes serious eye irritation.

Revision Summary: Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 05

Month: December

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable

ND - Not Determined

NV - Not Available

w/w - weight/weight

w/v - weight/volume

v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01116

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Blanking Reagent for Ultra Low Range Chlorine
Catalog Number: 2493023

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M01116
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Intended Use: Laboratory Reagent

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Specific Target Organ Toxicity - Single Exposure: STOT SE 3 Corrosive to Metals: Met. Corr. 1
Skin Corrosion/Irritation: Skin Corr. 1A

GHS Label Elements:

DANGER



Hazard statements: May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation.

Not applicable

Precautionary statements: Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves / protective clothing / eye protection / face protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF INHALED: Remove victim/person to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Dispose of contents/container according to state, local, federal or national regulations.

HMIS:

Health: 3

Flammability: 1

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 3

Flammability: 1

Reactivity: 0

Symbol: Not applicable

WHMIS Hazard Classification: Class D, Division 2, Subdivision B - Toxic material (other toxic effects)

WHMIS Symbols: Corrosive

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Malonic Acid

CAS Number: 141-82-2

Chemical Formula: $C_3H_4O_4$

GHS Classification: Acute Tox. Orl 4, H302; Acute Tox. Inh. 4, H332; Skin Irrit. 3, H316; Eye Irrit. 2A, H319; STOT Single 3, H335

Percent Range (Trade Secret): 15.0 - 25.0

Percent Range Units: weight / volume

PEL: Not established

TLV: Not established

WHMIS Symbols: Other Toxic Effects

Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5

Chemical Formula: H_2O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): 75.0 - 85.0

Percent Range Units: volume / volume

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.

Inhalation: None required.

Ingestion (First Aid): Give large quantities of water. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: None reported

Hazardous Combustion Products: This material will not burn.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: Wear appropriate protective equipment as defined by MSDS. If permitted by regulation, cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up spilled material into a large beaker and dissolve with water. Adjust to a pH between 6 and 9. Use sulfuric or citric acid to lower pH. Use soda ash or sodium

bicarbonate to increase pH. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution. Otherwise, Absorb spilled liquid with non-reactive sorbent material. Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a pound or more of loose powder is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 153

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: heat

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: disposable latex gloves lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Protect from: heat Avoid contact with: eyes skin Wash thoroughly after handling.

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless

Physical State: Liquid

Molecular Weight: Not applicable

Odor: None

Odor Threshold: Not applicable

pH: 0.54 @ 23°C

Metal Corrosivity:

Corrosivity Classification: Classified as corrosive to metals.

Steel: 0.860 in/yr

Aluminum: 0.030 in/yr

Specific Gravity/ Relative Density (water = 1; air =1): 1.09

Viscosity: Not determined

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: Not applicable

Decomposition Temperature: Not determined

Boiling Point: 99°C; 210°F

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Evaporation Rate (water = 1): 0.014

Volatile Organic Compounds Content: Not determined

Flammable Properties: Material will not burn.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: Incompatible with: oxidizers

Hazardous Decomposition: None reported

Conditions to Avoid: Heat

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Based on classification principles, the classification criteria are not met.

ATE (Mix) Oral LD50 = 5492 mg/Kg

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Respiratory Tract

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Corrosive to skin.

Eye Damage: Corrosive to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): Based on classification principles, the classification criteria are not met.

IARC Listed: No

NTP Listed: No

O.S.H.A. Listed: No

Symptoms/Effects:

Ingestion: May cause: gastrointestinal tract irritation difficult breathing cyanosis (a reduction of the blood's ability to carry oxygen, giving a bluish discoloration)

Inhalation: No data reported.

Skin Absorption: None Reported

Chronic Effects: None reported

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002

Special Instructions (Disposal): If permitted by regulation, Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Otherwise, Dispose of material in an E.P.A. approved hazardous waste facility.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s

(Malonic Acid Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3265

Packing Group: III

T.D.G.:

Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S.

(Malonic Acid Solution)

Hazard Class: 8

Subsidiary Risk: NA

UN Number/PIN: 3265

Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S.

(Malonic Acid Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3265

Packing Group: III

I.M.O.:

Proper Shipping Name: Corrosive Liquid, Acidic, Organic, N.O.S.

(Malonic Acid Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3265

Packing Group: III

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

None

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: Not determined

New Zealand Inventory (NZIoC) Status: Not determined

Korean Inventory (KECI) Status: Not determined

Japan (ENCS) Inventory Status: Not determined

China (PRC) Inventory (MEP) Status: Not determined

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Technical Judgment. Vendor Information.

Complete Text of H phrases referred to in Section 3: H290 May be corrosive to metals. H335 May cause respiratory irritation.

Revision Summary: . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 05

Month: December

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17.

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M01228

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Ultra Low Range Chlorine Buffer
Catalog Number: 2493120

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M01228
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Intended Use: Buffer

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Skin Corrosion/Irritation: Skin Irrit. 2 Serious Eye Damage/Eye Irritation: Eye Irrit. 2A

GHS Label Elements:
WARNING



Hazard statements: Causes skin irritation. Causes serious eye irritation.

Precautionary statements: Wear protective gloves / protective clothing / eye protection / face protection. Wear eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

HMIS:

Health: 0

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 0

Flammability: 0

Reactivity: 0

Symbol: Not applicable

WHMIS Hazard Classification: Not applicable

WHMIS Symbols: Not applicable

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Potassium Iodide

CAS Number: 7681-11-0

Chemical Formula: KI

GHS Classification: Acute Tox 5 -Orl, H303; Skin Irr. 2, H315; Eye Irr. 2A, H319

Percent Range (Trade Secret): 10-15

Percent Range Units: weight / weight

PEL: 15 mg/m³ as total dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Other Toxic Effects

Sodium Phosphate, Dibasic

CAS Number: 7558-79-4

Chemical Formula: Na₂HPO₄

GHS Classification: Skin Irrit. 2, H315; Eye Irrit. 2A, H319

Percent Range (Trade Secret): 10-15

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable

Ethylenediaminetetraacetic Acid, Disodium Salt

CAS Number: 139-33-3

Chemical Formula: C₁₀H₁₄N₂Na₂O₈2H₂O

GHS Classification: Acute Tox. 5-Orl, H303; Eye Irrit. 2A, H319; Aquatic Acute 2, H401

Percent Range (Trade Secret): < 0.5

Percent Range Units: weight / weight

PEL: 15 mg/m³ as total dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable

Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5

Chemical Formula: H₂O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): 50.0 - 60.0

Percent Range Units: weight / weight

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

Sodium Citrate

CAS Number: 68-04-2

Chemical Formula: C₆H₅O₇Na₃ · 2H₂O

GHS Classification: Not applicable

Percent Range (Trade Secret): 10.0 - 20.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.
Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.
Inhalation: None required.
Ingestion (First Aid): Give large quantities of water. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, irritating and highly toxic gases may be generated by thermal decomposition.
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire / Explosion Hazards: None reported
Hazardous Combustion Products: Toxic fumes of: sodium monoxide phosphorus oxides potassium oxides iodine compounds

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:
Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.
Containment Technique: Stop spilled material from being released to the environment. Absorb spilled liquid with non-reactive sorbent material.
Clean-up Technique: If permitted by regulation, Absorb spilled liquid with non-reactive sorbent material. Place material in a plastic bag. Mark bag 'Non-hazardous trash', and dispose of as normal refuse. Decontaminate the area of the spill with a soap solution. Otherwise, Dispose of in accordance with local, state and federal regulations or laws.
Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.
DOT Emergency Response Guide Number: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.
Storage: Keep container tightly closed when not in use. Protect from: freezing
Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.
Personal Protective Equipment:
Eye Protection: safety glasses with top and side shields
Skin Protection: disposable latex gloves lab coat
Inhalation Protection: adequate ventilation
Precautionary Measures: Avoid contact with: eyes Do not breathe: mist/vapor Wash thoroughly after handling.
TLV: Not established
PEL: Not established
For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid
Physical State: Liquid
Molecular Weight: Not applicable
Odor: None
Odor Threshold: Odorless
pH: 8.3
Metal Corrosivity:

Corrosivity Classification: Classed as corrosive to skin. Not generally classed as corrosive to metals in addition to skin classification.

Steel: 0.008 in/yr

Aluminum: 0.202 in/yr

Specific Gravity/ Relative Density (water = 1; air =1): 1.300

Viscosity: Not determined

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: Not applicable

Decomposition Temperature: Not determined

Boiling Point: 99°C

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Evaporation Rate (water = 1): 0.011

Volatile Organic Compounds Content: Not applicable

Flammable Properties: During a fire, irritating and highly toxic gases may be generated by thermal decomposition.

Flash Point: >212°F

Method: Open cup

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not determined

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: Incompatible with: oxidizers

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sodium monoxide phosphorus oxides potassium oxide iodine compounds

Conditions to Avoid: Extreme temperatures

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data

Oral rat LD50 = 18533 mg/kg.

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Irritating to skin.

Eye Damage: Irritating to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found.

This product does NOT contain any IARC listed chemicals.
This product does NOT contain any NTP listed chemicals.
This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion: May cause: vomiting lethargy May cause iodism, which symptoms include skin rash, conjunctivitis, runny nose, sneezing, bronchitis, headache, fever and irritation of mucous membranes.

Inhalation: No effects anticipated

Skin Absorption: No effects anticipated

Chronic Effects: Citric acid chronic overexposure may cause effects due to the ability of citric acid to chelate metals, which could impair the body's ability to absorb calcium and iron. Iodines overdose, 'iodism', may cause skin rash, runny nose, headaches, fever and bronchitis.

Medical Conditions Aggravated: Allergies or sensitivity to iodine.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: --

No ecological data available for the ingredients of this product.

CEPA Statement: Water, Sodium Phosphate Dibasic: Persistent. Not bioaccumulative. Not inherently toxic to aquatic organisms. CEPA Statement: Potassium Iodide: Persistent. Not bioaccumulative. Inherently toxic to aquatic organisms.

CEPA Statement: Sodium Citrate, Ethylenediaminetetraacetic Acid Disodium Salt: Not persistent. Not bioaccumulative. Not inherently toxic to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable

Special Instructions (Disposal): If permitted by regulation, Dilute to 3 to 5 times the volume with cold water. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Otherwise, Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

Empty Containers: Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state or federal regulations. Dispose of empty container as normal trash. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

T.D.G.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

UN Number/PIN: NA

Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

I.M.O.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product does not meet the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): This product is not hazardous under 29 CFR.1910.1200 and therefore is not covered by Title III under SARA.

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Sodium Phosphate, Dibasic 5000 lbs.

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Sodium phosphate, dibasic - RQ 5000 lbs.

RCRA: Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): Not applicable

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. Technical Judgment.

Complete Text of H phrases referred to in Section 3: H252 Self-heating in large quantities; may catch fire. Not applicable H315 Causes skin irritation. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.

Revision Summary: Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 24

Month: February

Year: 2015

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA
OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2015

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00519

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: DPD Indicator
Catalog Number: 2493220

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00519
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Intended Use: Standard solution

2. HAZARDS IDENTIFICATION

GHS Classification:
Hazard categories: . Skin Corrosion/Irritation: Skin Corr. 1A
GHS Label Elements:
DANGER



Hazard statements: May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary statements: Wear protective gloves / protective clothing / eye protection / face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Dispose of contents/container according to state, local, federal or national regulations.

HMIS:
Health: 4
Flammability: 0
Reactivity: 1
Protective Equipment: X - See protective equipment, Section 8.

NFPA:
Health: 3
Flammability: 0
Reactivity: 1
Symbol: Not applicable

WHMIS Hazard Classification: Class D, Division 2, Subdivision B - Toxic material (other toxic effects) Class E - Corrosive material

WHMIS Symbols: Other Toxic Effects Corrosive

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Sulfuric Acid

CAS Number: 7664-93-9

Chemical Formula: H₂SO₄

GHS Classification: Met. Corr. 1 H290; Skin Corr. 1A, H314; Aquatic Acute 3, H402

Percent Range (Trade Secret): 1.0 - 10.0

Percent Range Units: weight / weight

PEL: 1 mg/m³

TLV: 1 mg/m³

WHMIS Symbols: Acute Poison Corrosive

DPD Sulfate

CAS Number: 6283-63-2

Chemical Formula: C₁₀H₁₆N₂ · H₂SO₄

GHS Classification: Acute Tox 4-Orl, H302; Acute Tox 4- Der, H312; Eye Irrit. 2B, H319

Percent Range (Trade Secret): < 1.0

Percent Range Units: weight / weight

PEL: Not established

TLV: Not established

WHMIS Symbols: Acute Poison

Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5

Chemical Formula: H₂O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): 90.0 - 100.0

Percent Range Units: weight / weight

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with soap and plenty of water. Call physician if irritation develops.

Inhalation: Remove to fresh air.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material will not burn. During a fire, corrosive and toxic gases may be generated by thermal decomposition.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: May react violently with: strong bases

Hazardous Combustion Products: This material will not burn.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: If permitted by regulation, Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution. Otherwise, Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate general area (50 foot radius or as directed by your facility's emergency response plan) when: a gallon or more of liquid is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 154

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Use with adequate ventilation. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: heat freezing Keep away from: alkalies

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Use general ventilation to minimize exposure to mist, vapor or dust. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: disposable latex gloves

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Use with adequate ventilation. Protect from: heat freezing Keep away from: alkalies

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: None

Odor Threshold: Not applicable

pH: 0.05

Metal Corrosivity:

Corrosivity Classification: Classified as corrosive to metals.

Steel: 0.962 in/yr (24.4 mm/yr)

Aluminum: 0.297 in/yr (7.54 mm/yr)

Specific Gravity/ Relative Density (water = 1; air =1): 1.0315

Viscosity: Not determined

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: Not determined

Decomposition Temperature: Not determined

Boiling Point: 99°C (210°F)

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Evaporation Rate (water = 1): 0.012

Volatile Organic Compounds Content: None

Flammable Properties: Material will not burn. During a fire, corrosive and toxic gases may be generated by thermal decomposition.

Flash Point: > 93°C (> 200°F)

Method: Closed cup

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: Incompatible with: caustics

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides

Conditions to Avoid: Extreme temperatures Exposure to light.

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data

ATE Rat Oral LD50 = 41554 mg/kg

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Corrosive to skin.

Eye Damage: Corrosive to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found.

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen

Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

This product does NOT contain any NTP listed chemicals.

This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion: May cause: burns of the mouth and esophagus lung damage death

Inhalation: May cause: respiratory tract irritation teeth erosion mouth soreness difficult breathing

Skin Absorption: Will be absorbed through the skin.

Chronic Effects: Chronic overexposure may cause chronic irritation or inflammation of the lungs erosion of the teeth allergic skin reactions lung damage cancer

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions Allergy or sensitivity to salts of N,N-Diethyl-p-phenylenediamine

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: Sulfuric Acid: 96 hr *Lepomis macrochirus* LC50 = 16-28 mg/L; 24 hr LC50 = 82 mg/L; 48 hr *Crangon crangon* EC50 = 70-80 mg/L.

CEPA Statement: Water, Sulfuric Acid: Persistent. Not bioaccumulative. Not inherently toxic to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002

Special Instructions (Disposal): Dispose of material in an E.P.A. approved hazardous waste facility.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(<10% Sulphuric Acid in Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3264

Packing Group: III

T.D.G.:

Proper Shipping Name: Corrosive Solid, Acidic, Inorganic, N.O.S.
(<10% Sulphuric Acid in Solution)

Hazard Class: 8

Subsidiary Risk: NA

UN Number/PIN: 3264

Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(<10% Sulphuric Acid in Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3264

Packing Group: III

I.M.O.:

Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S.
(<10% Sulphuric Acid in Solution)

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN3264

Packing Group: III

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Sulfuric Acid 1000 lbs.

304 CERCLA RQ (40 CFR 302.4): Sulfuric Acid 1000 lbs.

304 EHS RQ (40 CFR 355): Sulfuric Acid - RQ 1000 lbs.

Clean Water Act (40 CFR 116.4): Sulfuric acid - RQ 1000 lbs.

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: New Jersey Trade Secret Registry Number 80100131-5002 (DPD Salt) New York Trade Secret Registry Number 478 (DPD Salt) This product complies with Pennsylvania Trade Secret Regulations. This product is registered as a trade secret in the state of Illinois. This product is registered as a trade secret in the state of Massachusetts.

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS or are placed on the market in quantities less than 10 kg per year.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. Technical Judgment.

Complete Text of H phrases referred to in Section 3: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H319 Causes serious eye irritation.

Revision Summary: Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 05

Month: December

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable

ND - Not Determined

NV - Not Available

w/w - weight/weight

w/v - weight/volume

v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015