

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

## **Datasheet**

## AFP monoclonal antibody (M01), clone 1G7

Catalog Number: H00000174-M01

Regulation Status: For research use only (RUO)

Product Description: Mouse monoclonal antibody

raised against a partial recombinant AFP.

Clone Name: 1G7

**Immunogen:** AFP (AAH27881, 500 a.a. ~ 609 a.a) partial recombinant protein with GST tag. MW of the

GST tag alone is 26 KDa.

## Sequence:

CCTSSYANRRPCFSSLVVDETYVPPAFSDDKFIFHKDL CQAQGVALQTMKQEFLINLVKQKPQITEEQLEAVIADF SGLLEKCCQGQEQEVCFAEEGQKLISKTRAALGV

Host: Mouse

Reactivity: Human

Applications: ELISA, IF, IP, S-ELISA, WB-Ce, WB-Re,

(See our web site product page for detailed applications

information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product

page for detailed protocols

Isotype: IgG

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to

avoid repeated freezing and thawing.

**Entrez GenelD: 174** 

Gene Symbol: AFP

Gene Alias: FETA, HPAFP

Gene Summary: This gene encodes alpha-fetoprotein, a major plasma protein produced by the yolk sac and the liver during fetal life. Alpha-fetoprotein expression in adults is often associated with hepatoma or teratoma. However, hereditary persistance of alpha-fetoprotein may also be found in individuals with no obvious pathology. The protein is thought to be the fetal counterpart of serum albumin, and the alpha-fetoprotein and albumin genes are present in tandem in the same transcriptional orientation chromosome on Alpha-fetoprotein is found in monomeric as well as dimeric and trimeric forms, and binds copper, nickel, fatty acids and bilirubin. The level of alpha-fetoprotein in amniotic fluid is used to measure renal loss of protein to screen for spina bifida and anencephaly. [provided by RefSeq]

## References:

1. Immunodevice for simultaneous detection of two relevant tumor markers based on separation of different microparticles by dielectrophoresis. Ramon-Azcon J, Yasukawa T, Mizutani F. Biosens Bioelectron. 2011 Aug

4. [Epub ahead of print]