

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

Datasheet

ABCD1 polyclonal antibody (A01)

Catalog Number: H00000215-A01

Regulation Status: For research use only (RUO)

Product Description: Mouse polyclonal antibody raised

against a partial recombinant ABCD1.

Immunogen: ABCD1 (AAH15541, 1 a.a. ~ 100 a.a)

partial recombinant protein with GST tag.

Sequence:

MPVLSRPRPWRGNTLKRTAVLLALAAYGAHKVYPLVR QCLAPARGLQAPAGEPTQEASGVAAAKAGMNRVFLQ RLLWLLRLLFPRVLCRETGLLALHSAA

Host: Mouse

Reactivity: Human

Applications: ELISA, WB-Re

(See our web site product page for detailed applications

information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product

page for detailed protocols

Storage Buffer: 50 % glycerol

Storage Instruction: Store at -20°C or lower. Aliquot to

avoid repeated freezing and thawing.

Entrez GenelD: 215

Gene Symbol: ABCD1

Gene Alias: ABC42, ALD, ALDP, AMN

Gene Summary: The protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the ALD subfamily, which is involved in peroxisomal import of fatty acids and/or fatty acyl-CoAs in the organelle. All known peroxisomal ABC transporters are half transporters which require a partner

half transporter molecule to form a functional homodimeric or heterodimeric transporter. This peroxisomal membrane protein is likely involved in the peroxisomal transport or catabolism of very long chain fatty acids. Defects in this gene have been identified as the underlying cause of adrenoleukodystrophy, an X-chromosome recessively inherited demyelinating disorder of the nervous system. [provided by RefSeq]