

9F, No. 108, Jhouzih St.,Taipei, Taiwan Tel: + 886-2-8751-1888 Fax: + 886-2-6602-1218 E-mail: sales@abnova.com

Datasheet

APEX1 purified MaxPab rabbit polyclonal antibody (D01P)

Catalog Number: H00000328-D01P

Regulation Status: For research use only (RUO)

Product Description: Rabbit polyclonal antibody raised

against a full-length human APEX1 protein.

Immunogen: APEX1 (NP_001632.2, 1 a.a. ~ 318 a.a)

full-length human protein.

Sequence:

MPKRGKKGAVAEDGDELRTEPEAKKSKTAAKKNDKE AAGEGPALYEDPPDQKTSPSGKPATLKICSWNVDGLR AWIKKKGLDWVKEEAPDILCLQETKCSENKLPAELQEL PGLSHQYWSAPSDKEGYSGVGLLSRQCPLKVSYGIG DEEHDQEGRVIVAEFDSFVLVTAYVPNAGRGLVRLEY RQRWDEAFRKFLKGLASRKPLVLCGDLNVAHEEIDLR NPKGNKKNAGFTPQERQGFGELLQAVPLADSFRHLYP NTPYAYTFWTYMMNARSKNVGWRLDYFLLSHSLLPAL CDSKIRSKALGSDHCPITLYLAL

Host: Rabbit

Reactivity: Human

Applications: WB-Tr

(See our web site product page for detailed applications

information)

Protocols: See our web site at

http://www.abnova.com/support/protocols.asp or product

page for detailed protocols

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to

avoid repeated freezing and thawing.

Entrez GenelD: 328

Gene Symbol: APEX1

Gene Alias: APE, APE-1, APE1, APEN, APEX, APX,

HAP1, REF-1, REF1

Gene Summary: Apurinic/apyrimidinic (AP) sites occur frequently in DNA molecules by spontaneous hydrolysis,

by DNA damaging agents or by DNA glycosylases that remove specific abnormal bases. AP sites are pre-mutagenic lesions that can prevent normal DNA replication so the cell contains systems to identify and repair such sites. Class II AP endonucleases cleave the phosphodiester backbone 5' to the AP site. This gene encodes the major AP endonuclease in human cells. Splice variants have been found for this gene; all encode the same protein. [provided by RefSeq]