

Goat F(ab')2 Anti-Rat IgG conjugated to SureLight® APC

| Product Number | D3-113-Fab |
|----------------|------------|
| Amount | 100 µg |
| Store at | 2-8°C |

Form/Shipping & Storage

Supplied lyophilized. Upon receipt, store at -20 °C. Reconstitute with 1.0 ml of ddH2O and store at 2-8 °C. Phycobiliproteins are sensitive to freeze-thaw cycles.

Handling

We recommend that the investigator determine the appropriate working concentration for their specific application. Avoid exposure to heat and light.

Buffer


Upon reconstitution, the product is in 10 mM tris (pH 8.2),150 mM NaCl, 0.1% BSA and 50mM sucrose.

Stability

Product should be stored at 2-8°C in the dark and be used within 12 months. If further dilution of the conjugate is required, use diluted material within one month.

<u>Note</u>

For research use only, not for diagnostic or therapeutic use.



Fluorescence excitation and emission spectra of APC in 100 mM sodium phosphate (pH 7.2) + 1 mM EDTA and 1 mM sodium azide. The emission scan was taken with excitation at 630 nm. The excitation scan was taken with an emission at 660 nm. The curves were normalized to equalize peak heights.

Spectral Characteristics Visible absorption maxima

| Visible absorption maxima | 652 |
|---------------------------|-----|
| Emission maximum | 657 |

Concentration after reconstitution 0.1 mg/ml

Fluor : Protein ~1:1

