

	Revision Date 04/16/2014	Version 1.3
SECTION 1.Identification		
Product identifier		
Product number	106462	
Product name	Sodium hydroxide pellets pure	
CAS-No.	1310-73-2	
Relevant identified uses of t	he substance or mixture and uses advised against	
Identified uses	Chemical production, Reagent for analysis, Cosmetic raw material	
Details of the supplier of the	e safety data sheet	
Company	EMD Millipore Corporation 290 Concord Road, Billerica, MA 018 United States of America General Inquiries: +1-978-715-4321 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)	21,
Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week	

SECTION 2. Hazards identification

GHS Classification

Corrosive to Metals, Category 1, H290 Skin corrosion, Category 1A, H314 For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word Danger

Hazard Statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

Precautionary Statements

Product number	106462	Version 1.3
Product name	Sodium hydroxide pellets pure	

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

OSHA Hazards

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS and may deviate from the GHS information.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula	NaOH	HNaO (Hill)
Molar mass	40.00 g/mol	

Hazardous ingredients

Chemical Name (Concentration) CAS-No. sodium hydroxide (>= 90 % - <= 100 %) 1310-73-2 Exact percentages are being withheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

General advice First aider needs to protect himself.

Inhalation

After inhalation: fresh air. Get medical attention.

Skin contact

After skin contact: wash off with plenty of water. Remove contaminated clothing. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, collapse, death Risk of blindness!

Indication of any immediate medical attention and special treatment needed No information available.

Product number106462Product nameSodium hydroxide pellets pure

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible. Ambient fire may liberate hazardous vapors.

Advice for firefighters

Special protective equipment for fire-fighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers No aluminum, tin, or zinc containers.

Tightly closed. Dry.

Store at +5°C to +30°C (+41°F to +86°F).

Product number	106462	Version 1.3
Product name	Sodium hydroxide pellets pure	

SECTION 8. Exposure controls/personal protection

Exposure limit(s) Ingredients			
Basis	Value	Threshold limits	Remarks
sodium hydrox	ide 1310-73-2		
ACGIH	Ceiling Limit Value:	2 mg/m³	
NIOSH/GUIDE	Ceiling Limit Value and Time Period (if specified):	2 mg/m³	
OSHA_TRANS	PEL:	2 mg/m³	
Z1A	Ceiling Limit Value:	2 mg/m ³	

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection Tightly fitting safety goggles

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment: protective clothing

Respiratory protection

required when dusts are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state	solid
Color	colorless
Odor	odorless

duct number duct name	106462 Sodium hydroxide pellets pure	Version 1
Odor Threshold	not applicable	
рН	ca. 14 at 50 g/l 68 °F (20 °C)	
Melting point	323 °C	
Boiling point/boiling range	2,534 °F (1,390 °C) at 1,013 hPa	
Flash point	not applicable	
Evaporation rate	No information available.	
Flammability (solid, gas)	The product is not flammable.	
Lower explosion limit	not applicable	
Upper explosion limit	not applicable	
Vapor pressure	at 68 °F (20 °C) not applicable	
Relative vapor density	No information available.	
Density	2.13 g/cm³ at 68 °F (20 °C)	
Relative density	No information available.	
Water solubility	1,090 g/l at 68 °F (20 °C)	
Partition coefficient: n-	No information available.	
octanol/water Autoignition temperature	No information available.	
Decomposition temperature	No information available.	
Viscosity, dynamic	No information available.	
Explosive properties	Not classified as explosive.	
Oxidizing properties	none	
Ignition temperature	not applicable	
Corrosion	May be corrosive to metals.	

Product number Product name 106462 Sodium hydroxide pellets pure

SECTION 10. Stability and reactivity

Reactivity

See below

Chemical stability

hygroscopic

Possibility of hazardous reactions

Risk of explosion/exothermic reaction with:

Acetone, Nitriles, phosphides, halogens, halogen-halogen compounds, chlorinated solvents, Ethylene oxide, Hydrazine hydrate, hydroxylamine, anhydrides, Peroxides, Acrolein, Acid chlorides, Acids, sulfuric acid, silver salt, hydrogen peroxide, organic nitro compounds, Water

Metals, Light metals

Possible formation of:

Hydrogen

Violent reactions possible with:

ammonium compounds, organic combustible substances, phenols

Generates dangerous gases or fumes in contact with:

persulfates, Sodium borohydride, Oxides of phosphorus

Conditions to avoid

Exposure to moisture.

Incompatible materials

Aluminum, brass, Metals, metal alloys, Zinc, Tin

Hazardous decomposition products

no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Eye contact, Skin contact, Ingestion

 Target Organs

 Eyes

 Skin

 Respiratory system

 Lungs

 Gastro-intestinal system

 head

 tongue

 trachea

 Acute oral toxicity

 Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Product number Product name	106462 Sodium hydroxide pellets pure	Version 1.
Aguta inhelation toviait	,	
Acute inhalation toxicity		
Symptoms: burns of mu damage of respiratory t	ucous membranes, Cough, Shortness of breath, Possible damages:, ract	
Corrosive to respiratory	/ system	
Skin irritation		
rabbit		
Result: Causes burns. (RTECS)		
Causes severe burns.		
Eye irritation		
rabbit Result: Causes burns.		
(RTECS)		
. ,	mage. Risk of blindness!	
Genotoxicity in vitro		
Mutagenicity (mammal	cell test): micronucleus.	
Result: negative		
(Lit.) Ames test		
Result: negative		
(IUCLID)		
	<i>vstemic toxicity - single exposure</i> Ire is not classified as specific target organ toxicant, single exposure.	
	vstemic toxicity - repeated exposure	
	ire is not classified as specific target organ toxicant, repeated exposure.	
Aspiration hazard		
Regarding the availabl	e data the classification criteria are not fulfilled.	
Carcinogenicity		
IARC	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as probable, possible or confirmed	
	human carcinogen by IARC.	
OSHA	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by OSHA.	
NTP	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a known or anticipated carcinoge	n
	by NTP.	
	-	
ACGIH	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by ACGIH.	

Further information

Product number	106462	Version 1.3
Product name	Sodium hydroxide pellets pure	

Systemic effects: collapse, death Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish LC50 Gambusia affinis (Mosquito fish): 125 mg/l; 96 h (External MSDS) *Toxicity to daphnia and other aquatic invertebrates* EC50 Daphnia magna (Water flea): 76 mg/l; 24 h (External MSDS) *Toxicity to bacteria*

EC50 Photobacterium phosphoreum: 22 mg/l; 15 min (External MSDS)

Persistence and degradability

Biodegradability

The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Additional ecological information Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted. Neutralization possible in waste water treatment plants. Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)	
UN number	UN 1823
Proper shipping name	SODIUM HYDROXIDE, SOLID
Class	8
Packing group	II
Environmentally hazardous	
Air transport (IATA)	

Product number	106462	Version 1.3
Product name	Sodium hydroxide pellets pure	
UN number	UN 1823	
Proper shipping name	SODIUM HYDROXIDE, SOLID	
Class	8	
Packing group	II	
Environmentally hazardous		
Special precautions for user	no	
Sea transport (IMDG)		
UN number	UN 1823	
Proper shipping name	SODIUM HYDROXIDE, SOLID	
Class	8	
Packing group	II	
Environmentally hazardous		
Special precautions for user EmS	yes F-A S-B	

SECTION 15. Regulatory information

United States of America

OSHA Hazards Corrosive to skin Corrosive to eyes Corrosive by inhalation. Target organ effects Harmful if inhaled. Harmful if swallowed.

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

SARA 311/312 Hazards

Acute Health Hazard Chronic Health Hazard

SARA 313

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Product number	106462	Version	1. 3
Product name	Sodium hydroxide pellets pure		

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A: *Ingredients*

sodium hydroxide

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3: *Ingredients* sodium hydroxide

DEA List I Not listed

DEA List II Not listed

US State Regulations

Massachusetts Right To Know

Ingredients sodium hydroxide

Pennsylvania Right To Know

Ingredients sodium hydroxide

New Jersey Right To Know

Ingredients sodium hydroxide

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA:	All components of the product are listed in the TSCA-inventory.
DSL:	All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice Provide adequate information, instruction and training for operators.

Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Product number Product name 106462 Sodium hydroxide pellets pure Version 1.3

Revision Date 04/16/2014

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.