acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/03/2015 Reviewed on 11/21/2014

1 Identification

· Product identifier

· Trade name: <u>Diethylzinc</u>

· Article number: 213580

• CAS Number: 557-20-0 • EC number: 209-161-3

· Index number: 030-004-00-8

- · Application of the substance / the mixture Laboratory chemicals for research and development
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

BeanTown Chemical 9 Sagamore Park Road Hudson, NH 03051 USA

Phone: (603) 402-2234 Fax: (603) 402-9713

Email: technical@beantownchem.com

www.beantownchem.com

- · Information department: Technical Support Department
- · Emergency telephone number:

During normal operating hours, please call (603) 402-2234 After hours, please call Chemtrec at (800) 424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to air.

Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS05

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/03/2015 Reviewed on 11/21/2014

Trade name: Diethylzinc

(Contd. of page 1)

- · Signal word Danger
- · Hazard-determining components of labeling:

diethylzinc

· Hazard statements

Highly flammable liquid and vapor.

Catches fire spontaneously if exposed to air.

In contact with water releases flammable gases which may ignite spontaneously.

Causes severe skin burns and eye damage.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from any possible contact with water, because of violent reaction and possible flash fire.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Store locked up.

Store contents under inert gas.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description 557-20-0 diethylzinc
- · Identification number(s)
- EC number: 209-161-3
- · Index number: 030-004-00-8

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

(Contd. on page 3)

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/03/2015 Reviewed on 11/21/2014

Trade name: Diethylzinc

(Contd. of page 2)

· For safety reasons unsuitable extinguishing agents: Water with full jet

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Prevent seepage into sewage system, workpits and cellars.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/03/2015 Reviewed on 11/21/2014

Trade name: Diethylzinc

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Tightly sealed goggles

9 Physical		0.000		en ander an
		4 F U 11 I FU I I		
	tilliti Cl	<i>temitetui</i>	י עוע	DUILLO

General Information	
Appearance: Form:	I::1
rorm: Color:	Liquid Colorless
Color: Odor:	Unpleasant
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-28 °C (-18 °F)
Boiling point/Boiling range:	117 °C (243 °F)
Flash point:	-18 °C (-0 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Spontaneously flammable in air.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	Not determined.

<u>—</u> ПS Δ

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/03/2015 Reviewed on 11/21/2014

Trade name: Diethylzinc

		(Contd. of page
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.205 g/cm³ (10.056 lbs/gal)	
Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	iter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Organic solvents:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Contact with water releases flammable gases.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

(Contd. on page 6)

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/03/2015 Reviewed on 11/21/2014

Trade name: Diethylzinc

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, IMDG, IATA	UN3394
· UN proper shipping name	
· DOT	Organometallic substance, liquid, pyrophoric, water-reactive (diethylzinc)
· IMDG	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIO WATER- REACTIVE (diethylzinc)
· IATA	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIO WATER- REACTIVE
· Transport hazard class(es)	
DOT, IMDG, IATA	
· Class	4.2 Substances liable to spontaneous combustion
Label	4.2+4.3

(Contd. on page 7)

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/03/2015 Reviewed on 11/21/2014

Trade name: Diethylzinc

	(Contd. of page
Packing group	
DOT, IMDG, IATA	I
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Substances liable to spontaneous combustion
Danger code (Kemler):	X333
EMS Number:	F- G , S - M
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: Forbidden
	On cargo aircraft only: Forbidden
IMDG	
Limited quantities (LQ)	0
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN3394, Organometallic substance, liquid, pyrophoric, wate reactive (diethylzinc), ENVIRONMENTALLY HAZARDOUS, 4
	(4.3), I

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

557-20-0 diethylzinc

D, I, II

(Contd. on page 8)

acc. to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Printing date 03/03/2015 Reviewed on 11/21/2014

Trade name: Diethylzinc

(Contd. of page 7)

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· RTECS

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· NFPA ratings (scale 0-4)

Health = 4

Fire = 4

Reactivity = 2

The substance demonstrates unusual reactivity with water.

· HMIS ratings (scale 0-4)

Health = 4

Fire = 4

Reactivity = 2

- · Department issuing SDS: Technical Support Department
- · Contact: Technical Support Department
- · Date of preparation / last revision 03/03/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Pyr. Liq. 1: Pyrophoric Liquids, Hazard Category 1

Water-react. 1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 1

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

USA