

 $\Lambda$ 

# SAFETY DATA SHEET according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

	Revision Date 06/23/2014	Versi
ECTION 1. Identification		
Product identifier		
Product number	106563	
Product name	Sodium peroxide granular for analysis ACS,ISO	
CAS-No.	1313-60-6	
Relevant identified uses of th	e substance or mixture and uses advised against	
Identified uses	Reagent for analysis	
Details of the supplier of the	safety data sheet	
Company	EMD Millipore Corporation   290 Concord Road, Billerica, MA 01821 United States of America   General Inquiries: +1-978-715-4321   Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)	Ι,
Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International)	
	24 Hours/day; 7 Days/week	

## SECTION 2. Hazards identification

GHS Classification Oxidizing solid, Category 1, H271 Skin corrosion, Category 1A, H314 For the full text of the H-Statements mentioned in this Section, see Section 16.

## **GHS-Labeling**

Hazard pictograms



*Signal Word* Danger

Hazard StatementsH271 May cause fire or explosion; strong oxidizer.H314 Causes severe skin burns and eye damage.

Precautionary Statements

Product number	106563	Version 1.2
Product name	Sodium peroxide granular for analysis ACS, ISO	

P210 Keep away from heat.

P221 Take any precaution to avoid mixing with combustibles.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

### **OSHA Hazards**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS and may deviate from the GHS information.

### Other hazards

None known.

### SECTION 3. Composition/information on ingredients

Formula	Na₂O₂ (Hill)
Molar mass	77.98 g/mol

### Hazardous ingredients

Chemical Name ( Concentration) CAS-No. sodium peroxide ( >= 90 % - <= 100 % ) 1313-60-6 Exact percentages are being withheld as a trade secret.

### SECTION 4. First aid measures

## Description of first-aid measures

*General advice* First aider needs to protect himself.

#### Inhalation

After inhalation: fresh air. Call in physician.

### Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

## Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

#### Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed Irritation and corrosion, Cough, Shortness of breath, emphysema, Pain, Diarrhea, Vomiting, collapse Risk of blindness!

Product number	106563	Version 1.2
Product name	Sodium peroxide granular for analysis ACS, ISO	

Indication of any immediate medical attention and special treatment needed No information available.

### SECTION 5. Fire-fighting measures

#### Extinguishing media

*Suitable extinguishing media* Sand, Dry powder

*Unsuitable extinguishing media* Carbon dioxide (CO2), Water, Foam

### Special hazards arising from the substance or mixture

Not combustible. Has a fire-promoting effect due to release of oxygen. May not get in touch with: Water Caution! in contact with water product releases: hydrogen peroxide Ambient fire may liberate hazardous vapors.

### Advice for firefighters

Special protective equipment for fire-fighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### SECTION 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

#### **Environmental precautions**

Do not empty into drains. Risk of explosion.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## SECTION 7. Handling and storage

### Precautions for safe handling

Keep workplace dry. Do not allow product to come into contact with water.

Observe label precautions.

Product number	106563	Version 1.2
Product name	Sodium peroxide granular for analysis ACS, ISO	

### Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Separately or together with other oxidizing substances only.

Store at +15°C to +25°C (+59°F to +77°F).

### SECTION 8. Exposure controls/personal protection

#### Exposure limit(s)

Contains no substances with occupational exposure limit values.

#### Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

#### Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

## Eye/face protection

Tightly fitting safety goggles

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

*Other protective equipment:* protective clothing

### Respiratory protection

required when dusts are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

### SECTION 9. Physical and chemical properties

Physical state	solid
Color	light yellow
Odor	odorless
Odor Threshold	not applicable
рН	ca. 12.8 at 100 g/l 68 °F ( 20 °C)
Melting point	660 °C

Product number Product name	106563 Sodium peroxide granular for analysis ACS,ISO	Version 1.2
Boiling point/boiling range	not applicable, (decomposition)	
Flash point	not applicable	
Evaporation rate	No information available.	
Flammability (solid, gas)	The product is not flammable.	
Lower explosion limit	not applicable	
Upper explosion limit	not applicable	
Vapor pressure	No information available.	
Relative vapor density	No information available.	
Density	2.8 g/cm³ at  68 °F ( 20 °C)	
Relative density	No information available.	
Water solubility	100 g/l at 68 °F ( 20 °C) (decomposition)	
Partition coefficient: n- octanol/water	not applicable	
Autoignition temperature	No information available.	
Decomposition temperature	1382 °F ( 750 °C)	
Viscosity, dynamic	No information available.	
Explosive properties	Not classified as explosive.	
Oxidizing properties	The substance or mixture is classified as oxidizing with the category 1.	
Ignition temperature	not applicable	
Bulk density	1,138 kg/m³	

## SECTION 10. Stability and reactivity

## Reactivity

\_

Has a fire-promoting effect due to release of oxygen.

## Chemical stability

hygroscopic

Product number	106563	Version 1.2
Product name	Sodium peroxide granular for analysis ACS, ISO	

### Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapors with:

Alcohols, Benzene, combustible substances, acetic acid, carbon disulfide, hydrogen sulfide, anilines, Powdered metals, Ether, ethanol, Methanol, Iron, Water, Tin

Risk of explosion with:

Organic Substances, Metals, sulfur, phosphorus, performic acid, sodium thiosulfate, metallic chlorides, carbon, glycerol, Acetic anhydride, carbides, Boron, arsenic, antimony, ammonium compounds, powdered aluminum, PHOSPHORUS TRICHLORIDE, sugars, charcoal, powdered magnesium

Water, with, Organic Substances

carbon dioxide, with, Metals

Exothermic reaction with:

Aldehydes, acids, nitrides, Sulfur dichloride

#### Conditions to avoid

Exposure to moisture. Strong heating (decomposition).

### Incompatible materials

no information available

### Hazardous decomposition products

no information available

## SECTION 11. Toxicological information

### Information on toxicological effects

*Likely route of exposure* Eye contact, Skin contact, Ingestion

#### Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, emphysema

Corrosive to respiratory system

*Skin irritation* Causes severe burns.

*Eye irritation* Causes serious eye damage. Risk of blindness!

*Specific target organ systemic toxicity - single exposure* The substance or mixture is not classified as specific target organ toxicant, single exposure.

*Specific target organ systemic toxicity - repeated exposure* The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Product number Product name	106563 Sodium peroxide granular for analysis ACS,ISO	Version 1.2
<i>Aspiration hazard</i> Regarding the available data <b>Carcinogenicity</b>	the classification criteria are not fulfilled.	
IARC	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as probable, possible or confirmed	
	human carcinogen by IARC.	
OSHA	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by OSHA.	
NTP	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a known or anticipated carcinogen	
	by NTP.	
ACGIH	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by ACGIH.	

## Further information

After uptake: pain, Vomiting, Diarrhea, Circulatory collapse Decomposition of the substance with tissue moisture. Handle in accordance with good industrial hygiene and safety practice.

## SECTION 12. Ecological information

## Ecotoxicity

No information available.

#### Persistence and degradability No information available.

### **Bioaccumulative potential**

Partition coefficient: n-octanol/water not applicable

Mobility in soil No information available.

Additional ecological information Biological effects: Possible decomposition products in case of hydrolyzis are: hydrogen peroxide Sodium hydroxide Harmful effect due to pH shift. Product reacts with water. Discharge into the environment must be avoided.

Product number	106563	Version 1.2
Product name	Sodium peroxide granular for analysis ACS,ISO	

## SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

### SECTION 14. Transport information

Land transport (DOT)	
UN number	UN 1504
Proper shipping name	SODIUM PEROXIDE
Class	5.1
Packing group	I
Environmentally hazardous	
Air transport (IATA)	
UN number	UN 1504
Proper shipping name	SODIUM PEROXIDE
Class	5.1
Packing group	I
Environmentally hazardous	
Environmentally hazardous Special precautions for user	 yes
	 yes Not permitted for transport
Special precautions for user	,
Special precautions for user IATA (Passenger)	,
Special precautions for user IATA ( Passenger) Sea transport (IMDG)	Not permitted for transport
Special precautions for user IATA ( Passenger) Sea transport (IMDG) UN number	Not permitted for transport
Special precautions for user IATA ( Passenger) Sea transport (IMDG) UN number Proper shipping name	Not permitted for transport UN 1504 SODIUM PEROXIDE
Special precautions for user IATA (Passenger) Sea transport (IMDG) UN number Proper shipping name Class	Not permitted for transport UN 1504 SODIUM PEROXIDE
Special precautions for user IATA (Passenger) Sea transport (IMDG) UN number Proper shipping name Class Packing group Environmentally hazardous Special precautions for user	Not permitted for transport UN 1504 SODIUM PEROXIDE 5.1 I  yes
Special precautions for user IATA (Passenger) Sea transport (IMDG) UN number Proper shipping name Class Packing group Environmentally hazardous	Not permitted for transport UN 1504 SODIUM PEROXIDE 5.1 I

## SECTION 15. Regulatory information

United States of America OSHA Hazards Oxidizer Corrosive to skin Corrosive to eyes Respiratory irritant

This information is based on 29 CFR 1910.1200 criteria prior to adoption of the GHS, and may deviate from the GHS information on the label and in section 2.

Product number106563VProduct nameSodium peroxide granular for analysis ACS,ISO

Version 1.2

### SARA 311/312 Hazards

Fire Hazard Acute Health Hazard

Reactivity Hazard Acute Health Hazard

### **SARA 313**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **SARA 302**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,

Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,

Table 117.3.

DEA List I Not listed

DEA List II Not listed

### US State Regulations

### Massachusetts Right To Know

*Ingredients* sodium peroxide

## Pennsylvania Right To Know

*Ingredients* sodium peroxide

### New Jersey Right To Know

*Ingredients* sodium peroxide

### California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### Notification status

TSCA:	All components of the product are listed in the TSCA-inventory.
DSL:	All components of this product are on the Canadian DSL.

### **SECTION 16. Other information**

Product number	106563	Version 1.2
Product name	Sodium peroxide granular for analysis ACS, ISO	

### Training advice

Provide adequate information, instruction and training for operators.

### Full text of H-Statements referred to under sections 2 and 3.

H271	May cause fire or explosion; strong oxidizer.
H314	Causes severe skin burns and eye damage.

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date06/23/2014

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.