

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 01/26/2015

Version 1.3

SECTION 1.Identification

Product identifier

Product number 107916

Product name Spectrosolv® PSS for the ACIDORAPID® mineralizer

Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

Details of the supplier of the safety data sheet

Company EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821,

United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC (International)

24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Corrosive to Metals, Category 1, H290 Skin corrosion, Category 1A, H314 Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word
Danger

Hazard Statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 107916 Version 1.3

Product name Spectrosolv® PSS for the ACIDORAPID® mineralizer

P234 Keep only in original container.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant stainless steel container with a resistant inliner.

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature

Mixture of acids.

Hazardous ingredients

Chemical Name (Concentration)

CAS-No.

sulphuric acid (>= 30 % - < 50 %)

7664-93-9

Exact percentages are being wihtheld as a trade secret.

phosphoric acid (>= 30 % - < 50 %)

7664-38-2

Exact percentages are being wihtheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation

After inhalation: fresh air. Call in physician.

Skin contact

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

Eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

Ingestion

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation!). Call a physician immediately. Do not attempt to neutralize.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 107916 Version 1.3

Product name Spectrosolv® PSS for the ACIDORAPID® mineralizer

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Irritation and corrosion

Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapors.

Fire may cause evolution of:

Sulfur oxides, Oxides of phosphorus

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Suppress (knock down) gases/vapors/mists with a water spray jet.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

Do not empty into drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595).

Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 107916 Version 1.3

Spectrosolv® PSS for the ACIDORAPID® mineralizer Product name

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed.

Store at +5°C to +30°C (+41°F to +86°F).

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis Value Threshold Remarks

limits

sulphuric acid 7664-93-9

ACGIH Time Weighted Average 0.2 mg/m³ Form of exposure: Thoracic fraction.

1 mg/m³

1 mg/m³

(TWA): NIOSH/GUIDE Recommended

exposure limit (REL): 1 mg/m³

OSHA TRANS

Z1A Time Weighted Average 1 mg/m³

(TWA):

phosphoric acid 7664-38-2

ACGIH Time Weighted Average 1 mg/m³

(TWA):

Short Term Exposure 3 mg/m³

Limit (STEL):

NIOSH/GUIDE Recommended

exposure limit (REL):

Short Term Exposure 3 mg/m³

Limit (STEL):

OSHA TRANS PEL: 1 mg/m³

Z1A Short Term Exposure 3 mg/m³

Limit (STEL):

Time Weighted Average 1 mg/m³

(TWA):

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eve/face protection

Tightly fitting safety goggles

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 107916 Version 1.3

Product name Spectrosolv® PSS for the ACIDORAPID® mineralizer

Other protective equipment:

protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state liquid

Color colorless

Odor odorless

Odor Threshold No information available.

pH at 68 °F (20 °C)

strongly acid

Melting point No information available.

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapor pressure No information available.

Relative vapor density No information available.

Density 1.78 g/cm³

at 68 °F (20 °C)

Relative density No information available.

Water solubility at 68 °F (20 °C)

soluble

Partition coefficient: n-

octanol/water

Autoignition temperature

No information available.

No information available.

Page 5 of 12

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 107916 Version 1.3

Product name Spectrosolv® PSS for the ACIDORAPID® mineralizer

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties No information available.

Oxidizing properties No information available.

SECTION 10. Stability and reactivity

Reactivity

has a corrosive effect

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the folllowing substances:

Violent reactions possible with:

Water, Alkali metals, alkali compounds, Ammonia, Aldehydes, acetonitrile, Alkaline earth metals, alkalines, Acids, alkaline earth compounds, Metals, metal alloys, Oxides of phosphorus, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvent, acetylidene, Nitriles, organic nitro compounds, anilines, Peroxides, picrates, nitrides, lithium silicide, iron(III) compounds, bromates, chlorates, Amines, perchlorates, hydrogen peroxide

Conditions to avoid

no information available

Incompatible materials

animal/vegetable tissues, Metals

Gives off hydrogen by reaction with metals.

Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure Eye contact, Skin contact

Target Organs

Eyes

Skin

Respiratory system

teeth

Mucous membranes

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 107916 Version 1.3

Product name Spectrosolv® PSS for the ACIDORAPID® mineralizer

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Skin irritation

Mixture causes severe burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC Group 1: Carcinogenic to humans

sulphuric acid 7664-93-9

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP Known carcinogen.

sulphuric acid 7664-93-9

ACGIH A2: Suspected human carcinogen

sulphuric acid 7664-93-9

Further information

Quantitative data on the toxicity of this product are not available.

Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

sulphuric acid

Germ cell mutagenicity Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative (HSDB)

phosphoric acid

Acute dermal toxicity

LD50 Rabbit: 2,740 mg/kg (IUCLID)

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 107916 Version 1.3

Product name Spectrosolv® PSS for the ACIDORAPID® mineralizer

Skin irritation

Rabbit

Result: Causes burns.

(IUCLID)

Eye irritation

Rabbit

Result: Causes burns.

(IUCLID)

Sensitization
Patch test: human

Result: negative

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Result: negative

(IUCLID)

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability

No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Additional ecological information

Biological effects:

Harmful effect due to pH shift. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants.

Further information on ecology

Depending on the concentration, phosphorus compounds may contribute to the eutrophication of water supplies.

Discharge into the environment must be avoided.

Ingredients

sulphuric acid

Toxicity to daphnia and other aquatic invertebrates static test EC50 Daphnia magna (Water flea): > 100 mg/l; 48 h OECD Test Guideline 202

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

phosphoric acid

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 107916 Version 1.3

Product name Spectrosolv® PSS for the ACIDORAPID® mineralizer

Toxicity to fish

LC50 Gambusia affinis (Mosquito fish): 138 mg/l; 96 h (External MSDS)

Toxicity to bacteria

EC50 activated sludge: 270 mg/l(IUCLID)

Biodegradability

Does not cause biological oxygen deficit.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number UN 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT.

SULPHURIC ACID, PHOSPHORIC ACID)

Class 8
Packing group II
Environmentally hazardous ---

Air transport (IATA)

UN number UN 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT.

SULPHURIC ACID, PHOSPHORIC ACID)

Class 8
Packing group II
Environmentally hazardous --Special precautions for user no

Sea transport (IMDG)

UN number UN 3264

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT.

SULPHURIC ACID, PHOSPHORIC ACID)

Class 8
Packing group II
Environmentally hazardous -Special precautions for user
EmS yes
F-A S-B

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 107916 Version 1.3

Product name Spectrosolv® PSS for the ACIDORAPID® mineralizer

SECTION 15. Regulatory information

United States of America

SARA 313

The following components are subject to reporting levels established by SARA Title III, Section

313:

Ingredients

sulphuric acid 7664-93-9 *49.76* %

SARA 302

The following components are subject to reporting levels established by SARA Title III, Section

302:

Ingredients

sulphuric acid 7664-93-9

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Ingredients

sulphuric acid

phosphoric acid

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Inaredients

sulphuric acid

phosphoric acid

DEA List I

Not listed

DEA List II

Listed

Ingredients

sulphuric acid 7664-93-9

US State Regulations

Massachusetts Right To Know

Ingredients

sulphuric acid

phosphoric acid

Pennsylvania Right To Know

Ingredients

sulphuric acid

phosphoric acid

New Jersey Right To Know

Ingredients

sulphuric acid

phosphoric acid

California Prop 65 Components

WARNING: this product contains a chemical known in the State of California to cause cancer.

Ingredients

sulphuric acid

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 107916 Version 1.3

Product name Spectrosolv® PSS for the ACIDORAPID® mineralizer

Notification status

TSCA: All components of the product are listed in the TSCA-inventory.

DSL: All components of this product are on the Canadian DSL.

KOREA: Not in compliance with the inventory

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word Danger

Hazard Statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary Statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date01/26/2015

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Product number 107916 Version 1.3

Product name Spectrosolv® PSS for the ACIDORAPID® mineralizer

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.