

	Revision Date 01/27/2015	Version 1.
ECTION 1.Identification		
Product identifier		
Product number	170323	
Product name	Holmium ICP standard traceable to SRM from NIST Ho ₂ O ₃ in HN 3% 1000 mg/l Ho CertiPUR®	IO₃ 2-
Relevant identified uses of the	he substance or mixture and uses advised against	
Identified uses	Reagent for analysis	
Details of the supplier of the	safety data sheet	
Company	EMD Millipore Corporation 290 Concord Road, Billerica, MA 01 United States of America General Inquiries: +1-978-715-4321 Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)	821,
Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International)	
	24 Hours/day; 7 Days/week	

SECTION 2. Hazards identification

GHS Classification

Corrosive to Metals, Category 1, H290 Skin irritation, Category 2, H315 Eye irritation, Category 2A, H319 For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word Warning

Hazard Statements H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation.

Product number	170323 Version 1.2	
Product name	Holmium ICP standard traceable to SRM from NIST Ho₂O₃ in HNO₃ 2-3% 1000	
	mg/I Ho CertiPUR®	

Precautionary Statements
P234 Keep only in original container.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see supplemental first aid instructions on this label).
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P390 Absorb spillage to prevent material damage.
P406 Store in corrosive resistant stainless steel container with a resistant inliner.

None known.

SECTION 3. Composition/information on ingredients

Chemical nature

Aqueous solution

Hazardous ingredients

Chemical Name (Concentration) CAS-No. nitric acid (>= 1 % - < 5 %) 7697-37-2 Exact percentages are being wihtheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation After inhalation: fresh air.

Skin contact After skin contact: wash off with plenty of water. Remove contaminate

After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Ingestion

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

irritant effects

The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities.

Product number170323Version 1.2Product nameHolmium ICP standard traceable to SRM from NIST Ho₂O₃ in HNO₃ 2-3% 1000mg/l Ho CertiPUR®

Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Not combustible.

Development of hazardous combustion gases or vapors possible in the event of fire.

Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information none

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions

No special precautionary measures necessary.

Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Observe label precautions.

Conditions for safe storage, including any incompatibilities

Tightly closed.

Store at +15°C to +25°C (+59°F to +77°F).

Product number170323Version 1.2Product nameHolmium ICP standard traceable to SRM from NIST Ho₂O₃ in HNO₃ 2-3% 1000mg/l Ho CertiPUR®

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

ngreaterno			
Basis	Value	Threshold limits	Remarks
nitric acid 769	7-37-2		
ACGIH	Time Weighted Average (TWA):	2 ppm	
	Short Term Exposure Limit (STEL):	4 ppm	
NIOSH/GUIDE	Recommended	2 ppm	
	exposure limit (REL):	5 mg/m ³	
	Short Term Exposure	4 ppm	
	Limit (STEL):	10 mg/m³	
OSHA_TRANS	PEL:	2 ppm	
		5 mg/m³	
Z1A	Time Weighted Average	2 ppm	
	(TWA):	5 mg/m³	
	Short Term Exposure	4 ppm	
	Limit (STEL):	10 mg/m ³	

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

Eye/face protection Safety glasses

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment: protective clothing

Respiratory protection

required when vapors/aerosols are generated.

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Product number	170323	Version 1.2
Product name	Holmium ICP standard traceable to SRM from NIST Ho ₂ O	₃ in HNO₃ 2-3% 1000
	mg/I Ho CertiPUR®	

SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	odorless
Odor Threshold	Not applicable
рН	ca. 0.5 at 68 °F (20 °C)
Melting point	No information available.
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapor pressure	No information available.
Relative vapor density	No information available.
Density	ca.1.013 g/cm³ at 68 °F (20 °C)
Relative density	No information available.
Water solubility	at 68 °F (20 °C) soluble
Partition coefficient: n- octanol/water	No information available.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.

Product number Product name	170323 Version 1. Holmium ICP standard traceable to SRM from NIST Ho₂O₃ in HNO₃ 2-3% 1000 mg/l Ho CertiPUR®
Oxidizing properties	none
Corrosion	May be corrosive to metals.
SECTION 10. Stability and react	ivity
Reactivity See below	
Chemical stability The product is chemically st	able under standard ambient conditions (room temperature) .
Possibility of hazardous reaction increased reactivity with:	ons
oxidizable substances, orga Ammonia, alkalines, acids	nic solvent, Metals, metal alloys, Alkali metals, Alkaline earth metals,
Conditions to avoid Heating.	
Incompatible materials Metals, metal alloys (generation of hydrogen)	
Hazardous decomposition proc no information available	Jucts
SECTION 11. Toxicological infor	mation
Information on toxicological eff Likely route of exposure	ects
Eye contact, Skin contact	
<i>Target Organs</i> Eyes Skin Respiratory system teeth	
Acute oral toxicity	cous membranes in the mouth, pharynx, oesophagus and
Acute inhalation toxicity	
Symptoms: Possible damag <i>Skin irritation</i> Mixture causes skin irritation	
<i>Eye irritation</i> Mixture causes serious eye	irritation.

Product number	170323 Version 1.2	
Product name	Holmium ICP standard traceable to SRM from NIST Ho₂O₃ in HNO₃ 2-3% 1000	
	mg/I Ho CertiPUR®	

Specific target organ systemic toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ systemic toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC	No ingredient of this product present at levels greater than or
	equal to 0.1% is identified as probable, possible or confirmed
	human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or
	equal to 0.1% is identified as a carcinogen or potential
	carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or
	equal to 0.1% is identified as a known or anticipated carcinogen
	by NTP.
ACGIH	No ingredient of this product present at levels greater than or
	equal to 0.1% is identified as a carcinogen or potential
	carcinogen by ACGIH.

Further information

Quantitative data on the toxicity of this product are not available.

Other information

The following applies to nitrites/nitrates in general: methemoglobinemia after the uptake of large quantities.

Further data:

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Ingredients

nitric acid Skin irritation Rabbit Result: Causes severe burns. (IUCLID)

> *Eye irritation* Rabbit Result: Causes burns. (IUCLID)

Germ cell mutagenicity Genotoxicity in vitro Ames test Salmonella typhimurium Result: negative Method: OECD Test Guideline 471

Product number	170323	Version 1.2
Product name	Holmium ICP standard traceable to SRM from NIST Ho ₂ O ₃ in HNO ₃	2-3% 1000
	mg/I Ho CertiPUR®	

SECTION 12. Ecological information

Ecotoxicity

No information available.

Persistence and degradability No information available.

Bioaccumulative potential

No information available.

Mobility in soil

No information available.

Additional ecological information

No ecological problems are to be expected when the product is handled and used with due care and attention.

Ingredients

nitric acid

Toxicity to fish LC50 Gambusia affinis (Mosquito fish): 72 mg/l; 96 h (IUCLID)

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Substance does not meets the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Henry constant 2482 Pa*m³/mol Method: (calculated) (Lit.) Distribution preferentially in air.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

Product number	170323	Version 1.2
Product name	Holmium ICP standard traceable to SRM from NIST Ho₂O₃ in HNO₃	₃ 2-3% 1000
	mg/I Ho CertiPUR®	

SECTION 14. Transport information	
Land transport (DOT)	
UN number	UN 3264
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT. NITRIC ACID NOT MORE THAN 5%)
Class	8
Packing group	III
Environmentally hazardous	
Air transport (IATA)	
UN number	UN 3264
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT. NITRIC ACID SOLUTION)
Class	8
Packing group	III
Environmentally hazardous	
Special precautions for user	no
Sea transport (IMDG)	
UN number	UN 3264
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONT. NITRIC ACID NOT MORE THAN 5%)
Class	8
Packing group	III
Environmentally hazardous	
Special precautions for user	yes
EmS	F-A S-B

SECTION 15. Regulatory information

United States of America

SARA 313 The following components are subject to reporting levels established by SARA Title III, Section 313: Ingredients nitric acid 7697-37-2 2.4372 % SARA 302 The following components are subject to reporting levels established by SARA Title III, Section 302: Ingredients nitric acid 7697-37-2

Product number	170323	Version 1.2
Product name	Holmium ICP standard traceable to SRM from NIST Ho ₂ O ₃ in HNC	₀₃ 2-3% 1000
	mg/I Ho CertiPUR®	

DEA List I Not listed

DEA List II

Not listed

US State Regulations

Massachusetts	Right	To Know
Inaredients		

nitric acid

Pennsylvania Right To Know Ingredients

nitric acid

New Jersey Right To Know

Ingredients nitric acid

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

TSCA:	All components of the product are listed in the TSCA-inventory.
DSL:	This product contains one or several components listed in the
	Canadian NDSL.
KOREA:	Not in compliance with the inventory

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labeling

Hazard pictograms



Signal Word Warning

Hazard Statements H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation.

Product number	170323 Version 1.2
Product name	Holmium ICP standard traceable to SRM from NIST Ho₂O₃ in HNO₃ 2-3% 1000
	mg/I Ho CertiPUR®

Precautionary Statements

Response P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P313 Get medical advice/ attention.

Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date 01/27/2015

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.