

Version: 3.0 Revision Date: 05-14-2021

SAFETY DATA SHEET

According to US Regulation 29 CFR 1910.1200 (HazCom 2012)

1. Identification

Product identifier: Sodium Hydroxide, 10N solution

 Other means of identification

 Product No.:
 0312, 5000, 5002, 5674, 6000, H385

Recommended restrictions

Recommended use: For Laboratory, Research or Manufacturing Use. **Restrictions on use:** Not determined.

Details of the supplier of the safety data sheet

Company Name: Address:	Avantor Performance Materials, LLC 100 Matsonford Rd, Suite 200 Radnor, PA 19087
Telephone:	Customer Service: 855-282-6867
Contact Person: E-mail:	Product Information Compliance info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada (24 hrs/day, 7 days/week)

2. Hazard(s) identification

Hazard Classification

Physical Hazards		
Corrosive to metal		Category 1
Health Hazards		
Skin Corrosion/Irritation		Category 1A
Serious Eye Damage/Eye Irritatio	'n	Category 1
Unknown toxicity - Health		
Acute toxicity, oral	0 %	
Acute toxicity, dermal	0 %	
Acute toxicity, inhalation, dust or mist	40 %	
Unknown toxicity - Environment		
Acute hazards to the aquatic environment	0 %	
Chronic hazards to the aquatic environment	40 %	
Acute hazards to the aquatic environment	0 %	

SDS_US - SDSMIX001119



Chronic hazards to the aquatic 30 % environment

Label Elements

Hazard Symbol:

Signal Word:	Danger
Hazard Statement:	May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary Statements	
Prevention:	Keep only in original packaging. Do not breathe dust/mist/vapors. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.
Response:	Absorb spillage to prevent material damage. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Storage:	Store in a corrosion-resistant container with a resistant inner liner. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	
Sodium hydroxide	1310-73-2	39.6 - 40.4%	
* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.			

4. First-aid measures

```
General information:
```

Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

Avantor	Version: 3.0 Revision Date: 05-14-2021
Ingestion:	Call a physician or poison control center immediately. Do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation:	Move to fresh air. If breathing stops, provide artificial respiration. If breathing is difficult, give oxygen. Call a physician or poison control center immediately.
Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse. Destroy or thoroughly clean contaminated shoes.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Call a physician or poison control center immediately. In case of irritation from airborne exposure, move to fresh air. Get medical attention immediately.
Most important symptoms/effect	s, acute and delayed
Symptoms:	Causes severe skin and eye burns. Causes digestive tract burns. Mist or vapor extremely irritating to eyes and respiratory tract.
Hazards:	None known.
Indication of immediate medical	attention and special treatment needed
Treatment:	Symptoms may be delayed.
5. Fire-fighting measures	
General Fire Hazards:	The product is non-combustible. Product is highly caustic. Wear protective gear if spilled during fire fighting.
Suitable (and unsuitable) exting	uishing media
Suitable extinguishing media:	The product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media:	None known.
Specific hazards arising from the chemical:	Product is highly caustic. Wear appropriate protective gear if spilled during firefighting. Contact with metals may evolve flammable hydrogen gas.
Special protective equipment and precautions for firefighters	
Special fire fighting procedures:	Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Put on protective equipment before entering danger area. See Section 8 of the SDS for Personal Protective Equipment. Keep unauthorized personnel away. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods and material for containment and cleaning up:	Neutralize spill area and washings with dilute acetic acid. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Collect in a non-combustible container for prompt disposal. Dike far ahead of larger spill for later recovery and disposal.
Notification Procedures:	Inform authorities if large amounts are involved.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling:	Use personal protective equipment as required. Avoid breathing mists or vapors. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Wash hands thoroughly after handling. Do not eat, drink or smoke when using the product. See Section 8 of the SDS for Personal Protective Equipment.
Conditions for safe storage, including any incompatibilities:	Do not store in metal containers. Keep container tightly closed. Store in a well-ventilated place. Store in a dry place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
Sodium hydroxide	Ceiling	2 mg/m	3 US. ACGIH Threshold Limit Values (2011)
	Ceil_Time	2 mg/m	3 US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	2 mg/m	B US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	Ceiling	2 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	2 mg/m	B US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	Ceiling	2 mg/m	 US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (08 2010)
Sodium hydroxide - Particulate.	ST ESL	Health 20 µg/m	3 US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	Health 2 µg/m	3 US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)

Appropriate Engineering Controls

No data available.



Individual protection measures, such as personal protective equipment

General information:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area.
Eye/face protection:	Wear safety glasses with side shields (or goggles) and a face shield.
Skin Protection Hand Protection:	Chemical resistant gloves
Other:	Wear suitable protective clothing and gloves.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator.
Hygiene measures:	Provide eyewash station and safety shower. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Avoid contact with skin. Do not get in eyes. Wash contaminated clothing before reuse.

9. Physical and chemical properties

Appearance

Physical state:	Liquid
Form:	Liquid
Color:	Colorless
Odor:	Odorless
Odor threshold:	No data available.
pH:	14 (20 °C)
Melting point/freezing point:	1 °C
Initial boiling point and boiling range:	115 °C
Flash Point:	Not applicable
Evaporation rate:	As water
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive	e limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	As water
Vapor density:	As water
Density:	1.32 g/ml (20 °C)
Relative density:	1.26 (20 °C)
Solubility(ies)	
Solubility in water:	Miscible
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
SDS_US - SDSMIX001119	

10. Stability and reactivity

Reactivity:	Reacts violently with strong acids.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerization does not occur.
Conditions to avoid:	Avoid contact with oxidizing agents. Reacts violently with strong acids.
Incompatible Materials:	Oxidizing agents. Acids. Maleic Anhydride Halogens. Nitromethane. Contact with metals may evolve flammable hydrogen gas.
Hazardous Decomposition Products:	Sodium oxides.

11. Toxicological information

Information on likely routes of exposure Inhalation: May cause damage to mucous membranes in nose, throat, lungs and bronchial system. **Skin Contact:** Causes severe skin burns. Eye contact: Causes serious eye damage. Ingestion: May cause burns of the gastrointestinal tract if swallowed. Information on toxicological effects Acute toxicity (list all possible routes of exposure) Oral Product: No data available. Dermal **Product:** ATEmix (Rabbit) 4,500 mg/kg Inhalation Product: No data available. Specified substance(s): Sodium hydroxide No data available. **Repeated dose toxicity Product:** No data available. Skin Corrosion/Irritation **Product:** Causes severe skin burns. Serious Eye Damage/Eye Irritation **Product:** Causes serious eye damage. **Respiratory or Skin Sensitization Product:** Not a skin nor a respiratory sensitizer. 6/11 SDS_US - SDSMIX001119



Carcinogenicity Product:	This substance has no evidence of carcinogenic properties.	
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified		
US. National Toxicology Progra No carcinogenic component	m (NTP) Report on Carcinogens: ts identified	
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified		
Germ Cell Mutagenicity		
In vitro Product:	No mutagenic components identified	
In vivo Product:	No mutagenic components identified	
Reproductive toxicity Product:	No components toxic to reproduction	
Specific Target Organ Toxicity - Product:	Single Exposure None known.	
Specific Target Organ Toxicity - Repeated Exposure Product: None known.		
Aspiration Hazard Product:	Not classified	
Other effects:	None known.	

12. Ecological information

Acute hazards to the aquatic environment:

Ecotoxicity:

-	
Fish Product:	No data available.
Specified substance(s): Sodium hydroxide	LOAEL (Sander lucioperca, 24 h): >= 35 mg/l LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 125 mg/l LC 50 (Lepomis macrochirus, 48 h): 99 mg/l
Aquatic Invertebrates Product:	No data available.
Specified substance(s): Sodium hydroxide	LC 50 (Ophryotrocha diadema, 48 h): 33 - 100 mg/l LOAEL (Daphnia magna): 40 - 240 mg/l LC 50 (Cockle, 48 h): 330 - 1,000 mg/l



	EC 50 (Water flea (Ceriodaphnia dubia), 48 h): 34.59 - 47.13 mg/l EC 50 (Ceriodaphnia sp., 48 h): 40.4 mg/l
Chronic hazards to the aquati	c environment:
Fish Product:	No data available.
Aquatic Invertebrates Product:	No data available.
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	Expected to be readily biodegradable.
BOD/COD Ratio Product:	No data available.
Bioaccumulative potential Bioconcentration Factor (B0 Product:	CF) No data available on bioaccumulation.
Partition Coefficient n-octanol / v Product:	vater (log Kow) No data available.
Mobility in soil:	The product is water soluble and may spread in water systems.
Other adverse effects:	Harmful to aquatic organisms. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.
13. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.
Contaminated Packaging:	Since emptied containers retain product residue, follow label warnings even after container is emptied.
14. Transport information	

DOT

DOT	
UN Number:	UN 1824
UN Proper Shipping Name:	Sodium hydroxide solution
Transport Hazard Class(es)	
Class:	8
Label(s):	8
Packing Group:	II
Marine Pollutant:	No



Special precautions for user:	Keep away from acids.
IMDG UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.:	UN 1824 SODIUM HYDROXIDE SOLUTION 8 8 F-A, S-B
Packing Group: Marine Pollutant: Special precautions for user:	II No Keep away from acids.
IATA UN Number: Proper Shipping Name: Transport Hazard Class(es): Class: Label(s): Packing Group: Marine Pollutant: Special precautions for user:	UN 1824 Sodium hydroxide solution 8 8 II No Keep away from acids.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
Sodium hydroxide	1000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Corrosive to metal Skin Corrosion or Irritation Serious eye damage or eye irritation

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 311/312 Hazardous Chemical

Chemical IdentityThreshold Planning QuantitySodium hydroxide10000 lbs.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.



Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3):

Chemical Identity	Reportable quantity
Sodium hydroxide	Reportable quantity: 1000 lbs.

US State Regulations

US. California Proposition 65 No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act <u>Chemical Identity</u> Sodium hydroxide

US. Massachusetts RTK - Substance List

Chemical Identity Sodium hydroxide

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity Sodium hydroxide

US. Rhode Island RTK

Chemical Identity Sodium hydroxide

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable


Inventory Status:

Australia AICS: Canada DSL Inventory List: China Inv. Existing Chemical Substances: Japan (ENCS) List: Japan ISHL Listing: Korea Existing Chemicals Inv. (KECI): Mexico INSQ: New Zealand Inventory of Chemicals: Philippines PICCS: Taiwan Chemical Substance Inventory: US TSCA Inventory: EINECS, ELINCS or NLP: On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory On or in compliance with the inventory

16.Other information, including date of preparation or last revision



NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date:	05-14-2021
Revision Information:	Not relevant.
Version #:	3.0
Source of information:	Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, information from the Toxicology Data Network (TOXNET), European Chemical Agency (ECHA) substance dossiers, IARC Monographs, US National Toxicology Program data, the Agency for Toxic Substances and Disease Registry, other manufacturer's SDSs and other sources, as appropriate.
Further Information:	No data available.
Disclaimer:	The information provided in this Safety Data Sheet (SDS) was prepared based on data believed to be accurate as of the date of this SDS. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR PERFORMANCE MATERIALS ("AVANTOR") EXPRESSLY DISCLAIMS ANY AND ALL REPRESENTATIONS AND WARRANTIES REGARDING THE INFORMATION CONTAINED HEREIN INCLUDING, WITHOUT LIMITATION, AS TO ACCURACY, COMPLETENESS, FITNESS FOR PURPOSE OR USE, MERCHANTABILITY, NON-INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY AND STABILITY. This SDS is intended as a guide to the appropriate use, handling, storage and disposal of the product to which it relates by properly trained personnel, and is not intended to be comprehensive. Users of Avantor's products are advised to perform their own tests and to exercise their own judgment to determine the safety, suitability and appropriate use, handling, storage and disposal of each product and product combination for their own purposes and uses. TO THE GREATEST EXTENT PERMITTED BY LAW, AVANTOR DISCLAIMS LIABILITY FOR, AND BY USING AVANTOR'S PRODUCTS PURCHASER AGREES THAT UNDER NO CIRCUMSTANCES SHALL AVANTOR BE LIABLE FOR, SPECIAL, INDIRECT, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY TYPE OR KIND, INCLUDING WITHOUT LIMITATION, FOR LOSS OF PROFITS, REPUTATIONAL DAMAGE, PRODUCT RECALL OR BUSINESS INTERRUPTION.