

Material Safety Data Sheet

Sodium Chloride, Extra Pure, Ph Eur, BP, USP



1. Product and company identification

Product name : Sodium Chloride, Extra Pure, Ph Eur, BP, USP
Product code : 1.06400
Supplier : EMD Chemicals Inc.
480 S. Democrat Rd.
Gibbstown, NJ 08027
856-423-6300 Technical Service
Monday-Friday: 8:00 -5:00 PM
Synonym : Salt; Halite
Material uses : Other non-specified industry: Analytical reagent.
Validation date : 3/23/2009.
In case of emergency : 800-424-9300 CHEMTREC (USA)
613-996-6666 CANUTEC (Canada)
24 Hours/Day: 7 Days/Week

2. Hazards identification

Emergency overview : CAUTION!
MAY CAUSE EYE AND SKIN IRRITATION.
MAY CAUSE DAMAGE TO THE FOLLOWING ORGANS: SKIN, EYES, STOMACH.
Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Physical state : Solid. [Granular solid. Crystals.]

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Routes of entry : Ingestion.

Potential acute health effects

Inhalation : No known significant effects or critical hazards.

Ingestion : When ingested in large quantities may cause gastrointestinal upset or diarrhea.

Skin : May cause skin irritation.

Eyes : May cause eye irritation.

Potential chronic health effects

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Target organs : May cause damage to the following organs: skin, eyes, stomach.

Medical conditions aggravated by over-exposure : Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (section 11)

3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
Sodium Chloride	7647-14-5	100

4 . First aid measures

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
- Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
- Inhalation** : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
- Ingestion** : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5 . Fire-fighting measures

- Flammability of the product** : No specific fire or explosion hazard.
- Extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
halogenated compounds
metal oxide/oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6 . Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods for cleaning up

- Spill** : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7 . Handling and storage

- Handling** : Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Storage** : Store in accordance with local regulations. Store in original container, protected from direct sunlight. Keep container tightly closed and sealed until ready for use.

8 . Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

- Engineering measures** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Personal protection**
- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: nitrile rubber
- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: safety glasses with side-shields
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Recommended: lab coat
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9 . Physical and chemical properties

- Physical state** : Solid. [Granular solid. Crystals.]
- Color** : White.
- Odor** : Odorless.
- Molecular weight** : 58.44 g/mole
- Molecular formula** : NaCl
- pH** : Not available.
- Boiling/condensation point** : 1430.8°C (2607.4°F)
- Melting/freezing point** : 800.8°C (1473.4°F)
- Relative density** : Not available.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Odor threshold** : Not available.
- Evaporation rate** : Not available.
- Solubility** : Soluble in the following materials: water

10 . Stability and reactivity

Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 . Toxicological information

Acute toxicity

Product/ingredient name	Test Route	Species	Result
Sodium Chloride	LD50	Rat	2600 mg/kg
	Intraperitoneal		
	LD50 Oral	Rat	3000 mg/kg
	LDLo	Rat	3.72 g/kg
	Intraperitoneal		
	LDLo	Rat	3500 mg/kg
	Subcutaneous		
	LC50 Inhalation	Rat	>42000 mg/m ³
	Vapor		

Carcinogenicity

No known significant effects or critical hazards.

Mutagenicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

12 . Ecological information

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
Sodium Chloride	Acute EC50 2122.55 to 2644 mg/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate - <24 hours	48 hours
	Acute EC50 402.6 mg/L	Daphnia	48 hours
	Acute EC50 402600 to 469200 ug/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	Acute LC50 6390 mg/L	Fish	96 hours
	Acute LC50 6094 mg/L	Fish	96 hours
	Acute LC50 6094 to 7824 mg/L Fresh water	Fish - Rainbow trout, donaldson trout - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) - 100 days	96 hours
	Acute LC50 6.57 to 6.7 g/L Fresh water	Fish - Fathead minnow - Pimephales promelas - 0.217 g	96 hours
	Acute LC50 2000 to 2500 mg/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia	48 hours
	Acute LC50 1661 mg/L Fresh water	Daphnia - Water flea - Daphnia magna	48 hours
	Acute LC50 5.84 to 6.08 g/L Fresh water	Fish - Bluegill - Lepomis macrochirus - 0.26 g	96 hours
	Acute LC50 >10000 ppm	Crustaceans - Aquatic	48 hours

12 . Ecological information

Fresh water	sowbug - Asellus communis	
Acute LC50 >5600 ppm	Crustaceans - Aquatic	48 hours
Fresh water	sowbug - Asellus communis	
Acute LC50 1294600 ug/L	Fish - Bluegill - Lepomis	96 hours
Fresh water	macrochirus - 5 to 9 cm - 1 to 9 g	
Acute LC50 1000000 ug/L	Fish - Striped bass - Morone	96 hours
Fresh water	saxatilis - LARVAE	
Acute LC50 3.05 to 5.91 g/L	Daphnia - Water flea -	48 hours
Fresh water	Daphnia pulex	
Acute LC50 3310000 ug/L	Daphnia - Water flea -	48 hours
Fresh water	Daphnia magna	
Acute LC50 6170000 ug/L	Fish - Goldfish - Carassius	96 hours
Fresh water	auratus - 6 months - 30 to 38.7 mm - 1.53 to 2.83 g	
Acute LC50 6094000 to 7824000 ug/L	Fish - Rainbow trout, donaldson trout - Oncorhynchus mykiss - Egg	96 hours
Acute LC50 >5600000 ug/L	Crustaceans - Aquatic	48 hours
Fresh water	sowbug - Asellus communis	
Acute LC50 1.47 to 1.57 g/L	Daphnia - Water flea -	48 hours
Fresh water	Daphnia pulex	
Acute LC50 7200 mg/L	Fish	96 hours
Acute LC50 5000000 ug/L	Fish - Striped bass - Morone	96 hours
Fresh water	saxatilis - Fingerling	
Acute LC50 1960000 to 2330000 ug/L	Daphnia - Water flea - Ceriodaphnia dubia - <24 hours	48 hours
Acute LC50 7100 mg/L	Fish	96 hours
Acute LC50 7050 mg/L	Fish	96 hours
Acute LC50 4400000 to 6500000 ug/L	Daphnia - Water flea - Daphnia magna - Neonate - <24 hours	48 hours
Acute LC50 3318000 ug/L	Daphnia - Water flea - Daphnia magna	48 hours
Fresh water	Crustaceans - Common shrimp, sand shrimp - Crangon crangon - Adult	48 hours
Acute LC50 16500000 to 33000000 ug/L	Crustaceans - Aquatic	48 hours
Marine water	sowbug - Asellus communis	
Acute LC50 >10000000 ug/L	Fish - Fathead minnow - Pimephales promelas - 1 to 7 days	96 hours
Acute LC50 6390000 to 7070000 ug/L	Fish - Goldfish - Carassius	96 hours
Fresh water	auratus - 6 months - 30 to 38.7 mm - 1.53 to 2.83 g	

Environmental effects : No known significant effects or critical hazards.

Other adverse effects : No known significant effects or critical hazards.

13 . Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

14 . Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	-	CHEMICALS, N.O.S.	-	-		-

PG* : Packing group

15 . Regulatory information

United States

- HCS Classification** : Irritating material
Target organ effects
- U.S. Federal regulations** : **United States inventory (TSCA 8b)**: This material is listed or exempted.
TSCA (Toxic Substance Control Act): This product is listed on the TSCA Inventory.
SARA 302/304/311/312 extremely hazardous substances: No products were found.
SARA 302/304 emergency planning and notification: No products were found.
SARA 302/304/311/312 hazardous chemicals: Sodium Chloride
SARA 311/312 MSDS distribution - chemical inventory - hazard identification:
Sodium Chloride : Immediate (acute) health hazard, Delayed (chronic) health hazard
Clean Water Act (CWA) 307: No products were found.
Clean Water Act (CWA) 311: No products were found.
Clean Air Act (CAA) 112 accidental release prevention: No products were found.
Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
Clean Air Act (CAA) 112 regulated toxic substances: No products were found.
- DEA List I Chemicals (Precursor Chemicals)** : Not listed
- DEA List II Chemicals (Essential Chemicals)** : Not listed

Canada

- WHMIS (Canada)** : Not controlled under WHMIS (Canada).
- Canadian lists** : **CEPA Toxic substances**: This material is not listed.
Canadian ARET: This material is not listed.
Canadian NPRI: This material is not listed.
Alberta Designated Substances: This material is not listed.
Ontario Designated Substances: This material is not listed.
Quebec Designated Substances: This material is not listed.
- CEPA DSL / CEPA NDSL** : This material is listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

EU regulations


- Risk phrases** : This product is not classified according to EU legislation.

International regulations

- International lists** : **Australia inventory (AICS)**: This material is listed or exempted.
China inventory (IECSC): This material is listed or exempted.
Japan inventory (ENCS): This material is listed or exempted.
Japan inventory (ISHL): Not determined.
Korea inventory (KECI): This material is listed or exempted.
New Zealand Inventory of Chemicals (NZIoC): This material is listed or exempted.
Philippines inventory (PICCS): This material is listed or exempted.

16 . Other information

National Fire Protection :
Association (U.S.A.)



Notice to reader

The statements contained herein are based upon technical data that EMD Chemicals Inc. believes to be reliable, are offered for information purposes only and as a guide to the appropriate precautionary and emergency handling of the material by a properly trained person having the necessary technical skills. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use, storage and disposal of these materials and the safety and health of employees and customers and the protection of the environment. EMD CHEMICALS INC. MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, WITH RESPECT TO THE INFORMATION HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS.