SAFETY DATA SHEET

according to the (US) Hazard Communication Standard (29 CFR 1910.1200)

Revision Date 10/27/2014 Version 1.2

SECTION 1. Identification

Product identifier

Product number	100997
Product name	1-Propanol for analysis EMSURE® ACS,Reag. Ph Eur
CAS-No.	71-23-8

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis, Chemical production

Details of the supplier of the safety data sheet

Company	EMD Millipore Corporation | 290 Concord Road, Billerica, MA 01821, United States of America | General Inquiries: +1-978-715-4321 | Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)

Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2. Hazards identification

GHS Classification

Flammable liquid, Category 2, H225
Acute toxicity, Category 4, Oral, H302
Serious eye damage, Category 1, H318
Specific target organ systemic toxicity - single exposure, Category 3, Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS-Labeling

Hazard pictograms



Signal Word
Danger

Hazard Statements
H225 Highly flammable liquid and vapor.
H302 Harmful if swallowed.

H318 Causes serious eye damage.
H336 May cause drowsiness or dizziness.

Precautionary Statements
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/ physician.
P330 Rinse mouth.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. Composition/information on ingredients

Formula	$CH_3CH_2CH_2OH$	C_3H_8O (Hill)
Molar mass	60.1 g/mol	

Hazardous ingredients

Chemical Name (Concentration)
CAS-No.
1-Propanol (>= 90 % - <= 100 %)
71-23-8

Exact percentages are being wihtheld as a trade secret.

SECTION 4. First aid measures

Description of first-aid measures

Inhalation
After inhalation: fresh air. Consult doctor if feeling unwell.

Skin contact
After skin contact: wash off with plenty of water. Remove contaminated clothing.

Eye contact
After eye contact: rinse out with plenty of water. Call in ophthalmologist.

Ingestion
After swallowing: immediately make victim drink water (two glasses at most). Prevent vomiting if possible. Aspiration hazard Subsequently administer: activated charcoal (20 - 40 g in 10% slurry). Consult a physician.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed
irritant effects, Cough, respiratory paralysis, Shortness of breath, Drowsiness, Unconsciousness, narcosis, inebriation, Headache, drowziness, Vertigo, Coma
Risk of serious damage to eyes.

Indication of any immediate medical attention and special treatment needed
Laxative: Sodium sulfate (1 tablespoon/1/4 l water).

SECTION 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media
Carbon dioxide (CO_2), Foam, Dry powder

Unsuitable extinguishing media
For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture
Combustible material, Vapors are heavier than air and may spread along floors.
Forms explosive mixtures with air at ambient temperatures.
Pay attention to flashback.
Development of hazardous combustion gases or vapors possible in the event of fire.

Advice for firefighters

Special protective equipment for fire-fighters
In the event of fire, wear self-contained breathing apparatus.

Further information
Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures
Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

Environmental precautions
Do not empty into drains. Risk of explosion.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7 and 10).
Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7. Handling and storage

Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Storage temperature: no restrictions.

SECTION 8. Exposure controls/personal protection

Exposure limit(s)

Ingredients

Basis	Value	Threshold limits	Remarks
1-Propanol 71-23-8			
ACGIH	Time Weighted Average (TWA):	100 ppm	
NIOSH/GUIDE	Recommended exposure limit (REL):	200 ppm 500 mg/m³	
	Short Term Exposure Limit (STEL):	250 ppm 625 mg/m³	
	Skin designation:		Can be absorbed through the skin.
OSHA_TRANS	PEL:	200 ppm 500 mg/m³	
Z1A	Short Term Exposure Limit (STEL):	250 ppm 625 mg/m³	
	Time Weighted Average (TWA):	200 ppm 500 mg/m³	

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

Hygiene measures
Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance. Work under hood. Do not inhale substance/mixture.

Eye/face protection
Tightly fitting safety goggles

Hand protection
Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Other protective equipment:
Flame retardant antistatic protective clothing.

Respiratory protection
required when vapors/aerosols are generated.
Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. Physical and chemical properties

Physical state	liquid
Color	colorless
Odor	alcohol-like
Odor Threshold	No information available.
pH	7 at 200 g/l 68 °F (20 °C)
Melting point	-127 °C
Boiling point/boiling range	205.7 - 208 °F (96.5 - 98 °C) at 1,013 hPa Method: DIN 53171
Flash point	59 °F (15 °C) Method: c.c.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	2.1 %(V)
Upper explosion limit	19.2 %(V)

Vapor pressure	19 hPa at 68 °F (20 °C)
Relative vapor density	2.1
Density	0.80 g/cm³ at 68 °F (20 °C) Method: DIN 51757
Relative density	No information available.
Water solubility	at 68 °F (20 °C) miscible in all proportions
Partition coefficient: n-octanol/water	log Pow: 0.25 (experimental) (IUCLID) Bioaccumulation is not expected.
Autoignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	2.3 mPa.s at 68 °F (20 °C)
Explosive properties	No information available.
Oxidizing properties	No information available.
Ignition temperature	680 °F (360 °C) Method: DIN 51794

SECTION 10. Stability and reactivity

Reactivity

Vapors may form explosive mixture with air.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Exothermic reaction with:

Alkali metals, Hydrogen

Exothermic reaction with:

Alkaline earth metals, alcoholates

Violent reactions possible with:

Strong oxidizing agents

Conditions to avoid
Warming.
A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Incompatible materials
rubber, various plastics

Hazardous decomposition products
no information available

SECTION 11. Toxicological information

Information on toxicological effects

Likely route of exposure
Inhalation, Eye contact, Skin contact

Target Organs
Eyes
Skin
Respiratory system
gastrointestinal tract
Central nervous system

Acute oral toxicity
Rapid absorption.
Symptoms: Headache, Vertigo, inebriation, Unconsciousness, Aspiration may cause pulmonary edema and pneumonitis.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Drowsiness, drowziness

Skin irritation
Rabbit
Result: No irritation
OECD Test Guideline 404

Eye irritation
Rabbit
Result: Severe irritations
OECD Test Guideline 405

Causes serious eye damage.

Sensitization
Sensitization test: Guinea pig
Result: negative
(IUCLID)

Patch test: human
Result: negative
(IUCLID)

Genotoxicity in vitro
Ames test
Escherichia coli/Salmonella typhimurium
Result: negative
Method: OECD Test Guideline 471
(IUCLID)

Mutagenicity (mammal cell test):
Result: negative
Method: OECD Test Guideline 476

Mutagenicity (mammal cell test): chromosome aberration.
Result: negative
Method: OECD Test Guideline 473

Specific target organ systemic toxicity - single exposure
May cause drowsiness or dizziness.

Specific target organ systemic toxicity - repeated exposure
The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard
Regarding the available data the classification criteria are not fulfilled.

Carcinogenicity

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
ACGIH	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Further information
Systemic effects:
narcosis
After uptake of large quantities:
respiratory paralysis, Coma
Further data:
Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Ecotoxicity

Toxicity to fish
LC50 Pimephales promelas (fathead minnow): 4,630 mg/l; 96 h (IUCLID)

flow-through test LC50 Pimephales promelas (fathead minnow): 4,555 mg/l; 96 h
Analytical monitoring: yes
OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates
static test EC50 Daphnia magna (Water flea): 3,644 mg/l; 48 h
DIN 38412

EC50 Tetrahymen pyriformis: 4,168 mg/l; 48 h (IUCLID)

Toxicity to algae
IC0 Pseudokirchneriella subcapitata (green algae): 1,150 mg/l; 48 h (IUCLID)

static test EC50 Pseudokirchneriella subcapitata (green algae): 9,170 mg/l; 48 h (ECHA)

Toxicity to bacteria
microtox test EC50 Photobacterium phosphoreum: 17,700 mg/l; 5 min (IUCLID)

EC50 activated sludge: > 1,000 mg/l; 3 h
OECD Test Guideline 209

static test IC50 activated sludge: > 1,000 mg/l; 3 h
OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)
semi-static test NOEC Daphnia magna (Water flea): > 100 mg/l; 21 d

OECD Test Guideline 211

Persistence and degradability

Biodegradability
75 %; 20 d; aerobic
(IUCLID)
Readily biodegradable.

Chemical Oxygen Demand (COD)
2,230 mg/g
(IUCLID)

Theoretical oxygen demand (ThOD)
2,400 mg/g
(Lit.)

Ratio BOD/COD
73 %
(IUCLID)

Bioaccumulative potential

Partition coefficient: n-octanol/water
log Pow: 0.25
(experimental)
(IUCLID) Bioaccumulation is not expected.

Mobility in soil

No information available.

Additional ecological information
Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

SECTION 14. Transport information

Land transport (DOT)

UN number	UN 1274
Proper shipping name	N-PROPANOL
Class	3
Packing group	II
Environmentally hazardous	--

Air transport (IATA)

UN number	UN 1274
Proper shipping name	N-PROPANOL
Class	3
Packing group	II
Environmentally hazardous	--
Special precautions for user	no

Sea transport (IMDG)

UN number	UN 1274
Proper shipping name	N-PROPANOL
Class	3
Packing group	II
Environmentally hazardous	--
Special precautions for user	yes
EmS	F-E S-D

SECTION 15. Regulatory information

United States of America

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

DEA List I

Not listed

DEA List II

Not listed

US State Regulations

Massachusetts Right To Know

Ingredients

1-Propanol

Pennsylvania Right To Know

Ingredients

1-Propanol

New Jersey Right To Know

Ingredients

1-Propanol

California Prop 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

TSCA:	All components of the product are listed in the TSCA-inventory.
DSL:	All components of this product are on the Canadian DSL.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date10/27/2014

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.